19950308 122

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank) 2

2. REPORT DATE 04/00/87 3. REPORT TYPE AND DATES COVERED

4. TITLE AND SUBTITLE CONTAMINATION ASSESSMENT REPORT, PHASE I, SITE 1-10, SOUTH TANK FARM, TASK 2, SOUTH PLANTS, FINAL, VERSION 3.2

5. FUNDING NUMBERS

6. AUTHOR(S)

DAAK11 84 D 0017

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

EBASCO SERVICES, INC. LAKEWOOD, CO 8. PERFORMING ORGANIZATION REPORT NUMBER

87127R01

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRES

ROCKY MOUNTAIN ARSENAL (CO.). PMRMA COMMERCE CITY, CO

10. SPONSORING / MONITORING AGENCY REPORT NUMBER

المستومة المراجعة الماجعة

MAR 1 0 1995

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION / AVAILABILITY STATEMENT

12b. DISTRIBUTION CODE

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

13. ABSTRACT (Maximum 200 words)

THIS FINAL REPORT DOCUMENTS THE PHASE I CONTAMINATION SURVEY OF SITE 1-10, A STORAGE TANK FARM CONSTRUCTED IN 1942.

30 SAMPLES FROM 13 BORINGS WERE ANALYZED FOR VOLATILE AND SEMIVOLATILE ORGANICS AND METALS WITH SEPARATE ANALYSES FOR AS, HG, AND DBCP. C6H6, DCPD, CH2CL2, CU, ZN, AND HG WERE DETECTED AT OR ABOVE THEIR RESPECTIVE INDICATOR RANGES. HOWEVER, THE CONCENTRATIONS OF CU AND ZN APPEAR TO BE CONSISTENT WITH THE NATURAL LEVELS OF THESE METALS.

A PHASE II PROGRAM CONSISTING OF 22 ADDITIONAL BORINGS AND SOIL GAS SAMPLING IS RECOMMENDED TO 1) DETERMINE THE EXTENT OF CONTAMINATION AND 2) DISCOVER WHETHER POTENTIAL CONTAMINANTS HAVE LEAKED FROM THE TANKS. THE VOLUME OF POTENTIALLY CONTAMINATED SOIL PRESENT IS ESTIMATED AT 74,000 CUBIC YARDS.

APPENDICES: CHEMICAL NAMES, PHASE I CHEMICAL DATA, COMMENTS AND RESPONSES.

gramma seminar and Nilland Berkel

14. SUBJECT TERMS

15. NUMBER OF PAGES

GEOLOGY, HYDROLOGY, GEOPHYSICAL EXPLORATION, SOIL SAMPLING, ANALYTES, CHEMICAL DATA

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT

18. SECURITY CLASSIFICATION OF THIS PAGE


19. SECURITY CLASSIFICATION OF ABSTRACT

20. LIMITATION OF ABSTRACT

UNCLASSIFIED NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. 239-18 298-102

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

LITIGATION TECHNICAL SUPPOF

C.A.R.

ROCKY MOUNTAIN ARSENAL

FINAL
PHASE I
CONTAMINATION ASSESSMENT REPORT
SITE 1-10
SOUTH TANK FARM
VERSION 3.2

April 1987 Contract No. DAAK11-D-0017 TASK NO. 2 - SOUTH PLANTS

	Λ			
	Acces	ion For		
	NTIS DTIC Unanr Justifi	ounced	**	~1.01-0
FI FI	By Distrib	ution /		
	А		ty Codes	
7	Dist	Avail Spe	and / or ecial	
Beaut	A-1			
3 EA / B W B B S S	•			

EBASCO SERVICES INCORPORATED

R.L. STOLLAR AND ASSOCIATES CALIFORNIA ANALYTICAL LABORATORIES, INC. UBTL INC. TECHNOS INC. GERAGHTY & MILLER, INC.

DISTRIBUTION LIMITED TO GOVERNMENT AGENCIES DNLY:
REQUESTS FOR COPIES OF THIS DOCUMENT SHOULD BE REFERRED TO PROGRAM MANAGER FOR ROCKY MOUNTAIN ARSENAL CLEANUP, AMXFM-PM, ABERDEEN PROVING GROWND, MARYLAND 21010

DAAK 11-84-D-0017

PREPARED FOR

PROGRAM MANAGER'S
OFFICE FOR
ROCKY MOUNTAIN ARSENAL CLEANUP



LITIGATION TECHNICAL SUPPORT AND SERVICES

ROCKY MOUNTAIN ARSENAL

87127R01 ORIGINAL

FINAL
PHASE I
CONTAMINATION ASSESSMENT REPORT
SITE 1-10
SOUTH TANK FARM
VERSION 3.2

FILE COPY

April 1987 Contract No. DAAK11-D-0017 TASK NO. 2 - SOUTH PLANTS

Nocky Mountain Arsenal Information Center Commerce City, Colorado

Prepared by:

EBASCO SERVICES INCORPORATED

R. L. STOLLAR AND ASSOCIATES

CALIFORNIA ANALYTICAL LABORATORIES, INC.

UBTL INC. TECHNOS INC. GERAGHTY & MILLER, INC.

Prepared for:

U.S. ARMY PROGRAM MANAGER'S OFFICE FOR ROCKY MOUNTAIN ARSENAL CONTAMINATION CLEANUP

THE VIEWS, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

THE USE OF TRADE NAMES IN THIS REPORT DOES NOT CONSTITUTE AN OFFICIAL ENDORSEMENT OR APPROVAL OF THE USE OF SUCH COMMERCIAL PRODUCTS. THE REPORT MAY NOT BE CITED FOR PURPOSES OF ADVERTISEMENT.

TABLE OF CONTENTS

Seci	cion																					<u>Page</u>
	EXEC	JTIVE SUI	MMARY																			
1.0	PHYS	CAL SET	TING																			,
	1.1		ON	• •	•	• •	• •	•	•	• •	•			•						-	•	1
	1.2	GEOLOGY		• •	•	• •	• •		•					•								1
	1.3	HYDROLO		• •	•	• •	• •	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	1
	1.3	HIDROLG	GI	• •	• •	• •	• •	•	•	•	•	•	•	•	•	•	•	•	•	•	•	5
2.0	HISTO	<u>ORY</u>			• •	• •		•		•	•	•	•		•	•	•	•	•	•	•	8
3.0	SITE	INVESTIC	GATION .								•	•	•		•		•		•	•	•	14
	3.1	PREVIOU	S SOIL	INVE	STIC	SATI	ONS				•						•		•			14
	3.2	PHASE I	SURVEY							•	•					•	•	•			•	15
		3.2.1	Phase :	[Pr	ogra	<u>ım</u>									•	•	•					15
		3.2.2	Phase	[Fi	eld	0bs	erva	<u>ati</u>	ons		•						•					16
		3.2.3	Geophy	sica	1 Ex	plo	rat:	ion	· •		•				•							17
		3.2.4	Phase :	[_An	alyt	e L	eve:	ls	and	D:	ist	ri	bu	tio	n							18
		3.2.5	Phase :																			24
	3.3	PHASE I	I SURVE																		•	29
	3.4	QUANTIT	Y OF POT	ENT	IALL	Y C	ONTA	MI	NAT	ED	so	IL	,		•	•	•	•	•	•	•	34
4.0	REFER	ENCES CI	TED			٠	• •	•	• •	•		•	• (•	•	•	•	•		•		37
	Appen	dix 1-10	-A Chen	ica:	l Na	mes	and	l Ai	bbr	evi	iat	io	ns									
	Appen	dix 1-10	-B Phas	e I	Che	mic	al I	at	a													
	Appen	dix 1-10	-C Com	ents	an:	đР	esno	me	e c													

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1-10-1	Analysis of Data on Chemical Constituents Detected	
	During Phase I Field Study	19
1-10-2	Results of Phase I Field Study	20
1-10-3	Tentative Identification of Nontarget Compounds	26

EXECUTIVE SUMMARY

SITE 1-10

SOUTH TANK FARM

Site 1-10, the south tank farm, is located in the northwestern quarter of Section 1 at the Rocky Mountain Arsenal. It has included eleven different tank locations and a pumphouse that were reportedly used to store fuel, alcohol, bicycloheptadiene bottoms, dicyclopentadiene, water, D-D soil fumigant, dibromochloropropane, and sulfuric acid. This site was investigated under Task 2 in the spring of 1985. Thirteen borings, yielding 30 samples, were drilled to depths ranging from 5 to 10 feet.

Benzene, dicyclopentadiene, dieldrin, and methylene chloride were detected in samples from Site 1-10. Copper, zinc, and mercury were also detected at concentrations above their indicator ranges. Copper and zinc were detected at concentrations that are similar to natural levels known to occur generally in the Task 2 sampling area soils; however, the other detected analytes warrant further investigation in a Phase II program.

A Phase II program of 22 additional borings, yielding 60 samples, is proposed to assess the vertical and lateral extents of mercury and the volatile and semivolatile analytes detected in Site 1-10, as well as of organochlorine pesticides, methylisobutyl ketone, and mercury that were detected in adjacent Site 1-8. Based on the results of the Phase I program, the quantity of potentially contaminated soil is revised downward from 175,000 to 74,000 cubic yards.

PHASE I CONTAMINATION ASSESSMENT REPORT

<u>SITE 1-10</u>

SOUTH TANK FARM

1.0 PHYSICAL SETTING


1.1 LOCATION


Site 1-10, the south tank farm, is located in the northwestern quarter of Section 1 at the Rocky Mountain Arsenal (RMA). The site is north of Lower Derby Lake and immediately west of Site 1-8, the salvage yard, as shown in Figure 1-10-1. Tanks 462A, 462B (relocated), 463A, 463B, 463C, 463D (relocated), 463E (relocated), 463F, 463G, and 463H were originally located at this site, but tanks have been moved within the site and removed to other locations over time. Building 461, a pumphouse, is located in the site northeast of Tank 463B and south of an east-west railroad spur that serves the area. Site 1-10 is a rectangle 1300 feet (ft) by 340 ft that covers an area of 442,000 square feet (ft²). It lies at an elevation of about 5265 ft above mean sea level (msl) with a local relief of approximately 10 ft (Figure 1-10-2). Site 1-10 was investigated under Task 2 in the spring of 1985.


1.2 GEOLOGY

The two uppermost stratigraphic units beneath the south tank farm are Pleistocene alluvium and the Denver Formation (May, 1982/RIC 82295RO1). Wells completed in the area indicated an alluvial thickness of approximately 4 ft (Well 01529) to 11 ft (Well 01535) (see Section 1.3). The site is located near the top of a large east-west trending Denver Formation bedrock ridge (May et al., 1983/RIC 83299RO1). The deepest Phase I boring completed within Site 1-10 penetrated 10 ft of alluvium consisting mainly of sandy clay and clay. This boring is pictured in Figure 1-10-3 as it shows the greatest thickness of section. The other borings completed at the site drilled through sand, silty sand, and clay, with subordinate clayey silty sand and silty to sandy clay.

The underlying bedrock of the Denver Formation consists mainly of interbedded claystone, sandstone, and sandy claystone. Borings and wells drilled in the







Prepared for:

Program Manager's Office for Rocky Mountain Arsenal Cleanup Aberdeen Proving Ground, Maryland

Drafted: 12/20/86

FIGURE 1-10-3

Field Boring Profile for Boring 2

Rocky Mountain Arsenal, Task 2

Prepared by: Ebasco Services Incorporated


vicinity of Site 1-10 do not penetrate the formation completely; thus the total thickness of the unit beneath this area is unknown. A detailed description of the Denver Formation is found in May (1982/RIC 82295R01). Monitoring Well 01012 (see Section 1.3), installed near the northwest corner of the site, penetrated approximately 25 ft of bedrock composed mainly of mudstone with minor claystone.


1.3 HYDROLOGY

The predominant direction of surface water flow in Site 1-10 is toward the west and south. Water flowing south out of the site enters the west-flowing ditch south of the site boundary. This ditch terminates near the southwest corner of the site. A small part of the northern and western portions of the site are drained by a west-flowing ditch located just north of the site. This ditch eventually empties into Sand Creek Lateral on the western edge of the South Plants manufacturing complex. Surface water sampled by Shell Chemical Company in August 1979 near the western border of Site 1-10 (Figure 1-10-4) contained dieldrin, bladex, and benzene (Spaine & Gregg, 1983/RIC 83228RO1).

The primary groundwater flow direction across RMA is toward the northwest, but in the vicinity of the South Plants manufacturing complex, a groundwater mound diverts the direction of the regional groundwater flow (Figure 1-10-5). As a result, groundwater below Site 1-10 flows radially in a southeast-to-southwest direction (ESE, 1986b/RIC 86317R01). In the spring of 1986, depth to water in Monitoring Well 01012, located in the northwest corner of the site, was measured at an elevation of 5258.4 ft msl, or 5.6 ft below the ground surface. Water was reached in Phase I Boring 2 at 5254.0 ft msl, or 7.5 ft below the ground surface.

Upgradient from Site 1-10, organic compounds were detected in groundwater quality samples from Wells 01518, 01526, and 01530 (Silveira, 1981/RIC 83041R01). The compounds found in these wells were chloroform, benzene, carbon tetrachloride, chlorobenzene, dichlorobenzene, bicyclohexane, dicyclopentadiene, methylene chloride, toluene, dimethyl ketone, and tetrahydrofuran. Within the site itself the organic compounds bicyclohexane,





dicyclopentadiene, dichlorobenzene, chloroform, benzene, toluene, and chlorobenzene, all of which were found in the upgradient wells, were found in Wells 01529, 01534, and 01535 (Silveira, 1981/RIC 83041R01). Downgradient from Site 1-10, Wells 01028 and 02562 (ESE, 1986b/RIC 86317R01; Silveira, 1981/RIC 83041R01) showed the presence of diisopropylmethyl phosphonate, chloroform, benzene, toluene, chlorobenzene, and tetrachloroethylene. Although these compounds were detected in wells within and downgradient from Site 1-10, because they are representative of the class of chemicals typically found in the groundwater beneath the South Plants manufacturing complex, their presence in the groundwater below and downgradient from the site does not imply that they entered the groundwater from the site.

2.0 HISTORY

Information on the history of the area defined as Site 1-10 was gathered through a review of aerial photographs and a search of the literature and of the Shell I, Shell II, and Juris computer databases. Based on a review of these data, Site 1-10 has been identified as the south tank farm, which has included eleven different revetted storage tank locations.

Aerial photographs taken between 1948 and 1982 revealed the following information pertinent to Site 1-10. These descriptions are reported interpretations taken from Stout and Abbott (1982/RIC 83368R01) unless otherwise noted.

Photo Date	Site Description
1948	Ten tanks are visible at Site 1-10; each tank is revetted with earth.
1955	No change is apparent at Site 1-10 since 1948.
1966	The revetment for Tank 462B is visible, but the tank has been removed. No other change is visible.

Photo Date	Site Description
1970	The revetment for former Tank 462B is barely visible. Tank 462B has not been replaced. No other change is visible.
1974	No change is apparent at Site 1-10 since 1970.
1976	Tank 463E has been removed (CAP, 1976).
1980	The revetment for Tank 463E is visible. The revetment for former Tank 462B is barely discernible; the area has revegetated.
1982	Tank 463D has been removed. A new tank and concrete pad are visible between Tanks 463A and 463B (CAP, 1982).

The south tank farm was constructed in 1942 as part of the initial construction of RMA (USAMC, 1973). Building 461, a one-story concrete and tile pumphouse, was built, and ten welded steel, vertical storage tanks (462A, 462B, and 463A-H), revetted by soil, were installed at the site. These tanks were set directly on the ground; undermining was a problem at times (Knaus, 1978).

The tanks were constructed of dismantled salvage material that was shipped to RMA. In reconstructing the tanks, it was necessary to trim each steel plate prior to welding the sheets together. Tank dimensions and capacities, once remeasured and recalibrated were as follows:

Tank <u>Number</u>	Diameter <u>(Feet)</u>	Height (Feet)	Calibrated Capacity(Gallons)
462A	46.2	34.3	408,562
462B	44.6	24.5	383,109
463A	35.6	26.5	189,776

Tank <u>Number</u>	Diameter (Feet)	Height (<u>Feet)</u>	Calibrated Capacity (Gallons)
463B	35.6	26.5	191,972
463C	33.8	29.2	196,274
463D [°]	33.9	29.5	193,389
463E	34.0	29.2	192,525
463F	35.2	26.5	191,771
463G	34.9	26.5	188,696
463H	35.0	26.5	189,639

In late 1960, Tank 462B was removed from the tank farm. It was relocated in Section 2, north of Building 325, at the fuel oil storage site for the boiler house (Williams, 1960a). The tank was renumbered "321E" and used for fuel storage (Williams, 1960b).

Between 1975 and 1976, a tank was removed from the south tank farm to the hydrazine facility (Barbieri, 1986). The tank that is presently located at the hydrazine facility is identified as Tank 463D on the RMA Basic Information Maps (COE, 1984). This information agrees with Supplemental Agreement No. 23 to Shell Chemical Company's lease, which indicated that Tank 463D would be removed from Shell's lease as of August 15, 1975 (Unauthored, 1975). The tank was apparently returned to the Army at their request (Knaus, 1975).

The 1976 aerial photograph (CAP, 1976) shows that although the tank at the hydrazine facility is presently labeled 463D, the tank taken from Site 1-10 was taken from the position of Tank 463E shown in Figure 1-10-2, which is based on RMA engineering drawings (RMA, 1945b). A map used by Shell in 1979 also shows Tank 463D still present in the tank farm and Tank 463E missing (Unauthored, 1979).

A 1982 aerial photograph (CAP, 1982) of the area shows that the tank historically identified as 463D has been moved or removed from the site, and a tank appears in a new location between Tanks 463A and 463B. Anderson (1986) recalls seeing a crane in the south tank farm in 1980 or 1981 move a tank within the farm to a site between Tanks 463A and 463B. This tank was

placed on a concrete pad and appropriate containment features were installed. This tank has been identified as Tank 463E on the RMA Basic Information Maps (COE, 1984) and by field personnel at RMA.

According to Barbieri (1986), it is unlikely that if Tank 463E was moved by mistake to the hydrazine facility, it would have been brought back to the south tank farm and replaced by the historically identified Tank 463D. Apparently the tank numbers were changed at some unknown time. As the issue is undecided, discussions of the actual uses of Tanks 463D and 463E must incorporate the information available for both tanks.

The storage tanks located at Site 1-10 have held a variety of fluids. These tanks were initially used by the Army and then leased to Colorado Fuel and Iron (CF&I), Julius Hyman and Company, and Shell Chemical Company. The following summarizes the contents of these tanks:

Tank Description

Used for fuel oil storage by the Army (USAMC, 1973).

Hyman and Shell both used the tank to store

dicyclopentadiene. The tank was cleaned and an

epoxy-coated bottom was installed in the late 1970s

(Hahn, 1985). Inspections of the tank during the 1960s

and 1970s indicated that the tank was pitted and was leaking (Helfer, 1967, 1969 a-c; Obel, 1969; Reed, 1975)

Used for fuel oil storage by the Army, and by Shell for the storage of crude bicycloheptadiene bottoms. The tank was moved from the south tank farm in 1960 and renumbered 321E. It is now located west of Building 242 and north of Buildings 321 and 325.

Used for alcohol storage by the Army. Both Hyman and Shell used the tank for storage of isopropyl alcohol and water for their endrin processes. The tank was later used to store spent sulfuric acid for the planavin plant.

463A

<u>Tank</u>	Description
463B	Used for alcohol storage by the Army. Shell used the tank to store D-D soil fumigant (Knaus, 1973) and spent sulfuric acid.
463C	Used for alcohol, dicyclopentadiene (Knaus, 1973), and dichloropropene-dichloropropane storage (Shell, 1985).
463D	Used to store alcohol by the Army. Shell used it to store bicycloheptadiene bottoms and spent sulfuric acid. Tank 463D was removed from its historical location after 1980. It is not certain whether Tank 463D, now at the hydrazine facility, is in fact the historical tank.
463E	Used to store alcohol, bicycloheptadiene bottoms, sulfuric acid, and dibromochloropropane, successively. Old Tank 463E was removed from its historical location. It is uncertain whether the tank presently identified as 463E is in fact the old tank.
463F	Used to store alcohol and bicycloheptadiene bottoms, successively.
463G	Used to store alcohol, dicyclopentadiene bottoms, and sulfuric acid, successively.

Four pumps in Building 461 were used to unload liquids from tank cars and trucks located on the tracks and road north of the building (RMA, 1945). Two of the pumps were used for unloading fuel oil into Tanks 462A and 462B. Fuel oil from these tanks was pumped out and fed to a burner that provided energy for the electrical system of RMA (Justice, 1985). Bicycloheptadiene

Used to store alcohol and then sulfuric acid.

463H

and dicyclopentadiene bottoms were also used as fuel for the burners (Justice, 1985). The other two pumps in Building 461 were used to pump fluids from Tanks 463A through H. The piping of these tanks allowed the delivery of fluid from any tank and the transfer of fluids between tanks (RMA, 1945).

Because sediment accumulated in the bottom of the tanks, they periodically required cleaning (Bisted, 1985). When a tank was cleaned it was first emptied. Then a hole the size of a tractor was cut into the tank's side. A portable pump was then used to remove as much of the sediment as possible, and men with squeegies and shovels pushed the remaining sediment out of the hole. The sediment that was removed flowed into a pit adjacent to the tank and contained within its diked area (Knaus, 1985; Eck, 1985). The sediment was then buried. An unidentified Shell employee believed that in 1967 Tanks 463B, 463F, and 463G were cleaned out in a fashion similar to that described above (Unauthored, 1982). Dicyclopentadiene bottoms reportedly were removed from these tanks (Unauthored, 1982; Dreier, 1985).

Boyd (1985) and Knaus (1985) recalled a cleanup at the south tank farm in which contaminated soil was placed in 55 gallon drums and taken off RMA.

Six documented spills at Site 1-10, the south tank farm, are summarized in chronological order below.

<u>Date</u>	Responsible <u>Party</u>	Description of Spill
1948	CF&I	100,000 gallons (gal) of benzene spilled in the area. The specific location of the spill is unknown (Hahn, 1985; Denver Post, 1978;
		Kauffman, 1980).

<u>Date</u>	Responsible Party	Description of Spill
1963	Shell	17,000 gal of dicyclopentadiene were pumped onto the ground when a tank car ran over a hose (Shell, 1963).
August 8,	Shell	1548 gal of dicyclopentadiene bottoms and No. 6 fuel oil spilled from a broken line between Tanks 463F and 463G (Hahn, 1985)
September 1978	Shell	50,864 gal of bicycloheptadiene and No. 6 fuel oil were lost from a broken line. (Hahn, 1985).
Mid to Late 1970s	Shell	A large spill of D-D soil fumigant occurred at the D-D unloading spot. The failure of a belly valve on a tank car caused the spill (Wedler, 1985).
Undated	Shell	Spent acid was spilled during the filtering of Tanks 463F and 463G. A hose hooked up to a potable water line was used to dilute and wash the acid into a ditch (Wedler, 1985).

3.0 SITE INVESTIGATION

3.1 PREVIOUS SOIL INVESTIGATIONS

The regional soil type in the vicinity of RMA is of the Ascalon-Vona-Truckton Association. This association consists of loamy and sandy soils formed in wind-laid deposits on uplands that are somewhat excessively drained to well drained (Kolmer & Anderson, 1977/RIC 81295R07). Soil at Site 1-10 is a Truckton loamy sand with a 1 to 3 percent slope on the west and a 3 to 9 percent slope on the east (USDA, 1974).

In late 1979, Shell collected and analyzed soil samples from the south tank farm (Kauffman, 1980). Benzene was detected in the vicinity of Tank 463F at concentrations that ranged from 48 parts per million (ppm) to an excess of 89 ppm.

3.2 PHASE I SURVEY

3.2.1 Phase I Program

Using the methodology in the Task 2 Technical Plan (Ebasco, 1985/RIC 87006R01) 13 borings, yielding 35 samples, were to be drilled to depths ranging from 5 to 15 ft at a boring density of 1/34,000 ft².

A field reconnaissance of the site was performed to assess and stake the boring locations prior to drilling. A geophysical clearance of the Site 1-10 boring locations was conducted to ensure that drilling would not penetrate underground piping, although no unexploded ordnance or other buried objects were believed to be in the immediate vicinity of the site. Slight changes to boring locations were made as a result of this survey (Technos, 1985). The locations of Borings 5, 7, 8, 11, 12, and 13 were moved a few feet in order to avoid pipes. The locations of four other borings (1, 2, 3, and 10) were altered in order to ensure complete coverage of the site. Boring 1 was inadvertently drilled just south of the site boundary. All other borings (4, 6, and 9) were located at their originally planned locations. No changes to the site boundaries were made. Figure 1-10-2 shows the locations of the Phase I borings as they were actually drilled. The sampling program was altered because of an unexpectedly high water table and because of high volatile organics readings.

Thirteen borings, yielding 30 samples, were actually completed at Site 1-10 as follows:

Boring No.	Depth (ft)	No. of Samples
1	5	2
2	10	4
3	5	2

Boring No.	Depth (ft)	No. of Samples
4	5	2
5	5.5	3
6	5	3
' 7	5	2
8	5	2
9	5	2
10	5	2
11	5	2
12	5	2
13	5	2

All samples were analyzed by gas chromatography/mass spectrometry (GC/MS) for volatile organics (except the 0-1 ft interval) and semivolatile organics; by an inductively coupled argon plasma (ICP) screen for metals; and by separate analyses for dibromochloropropane, arsenic, and mercury. Appendix 1-10-A presents the specific target analytes for which laboratory analyses were conducted. A summary of the results of these analyses is presented in Table 1-10-1, Section 3.2.4, of this report.

3.2.2 Phase I Field Observations

Site 1-10 is a tank farm that currently contains eight tanks. Each tank, 462A, 463A, 463B, 463C, 463E, 463F, 463G, and 463H, has a soil or concrete berm around it. Each berm is approximately 2 ft thick and at a 10 ft distance from each tank. The area is flat, sparsely vegetated with grass, and surrounded by roads on all four sides.

To ensure safety, in-situ air monitoring was conducted during drilling operations using a photoionization detector (HNU) and an organic vapor analyzer (OVA). HNU readings significantly above background were recorded at Borings 1, 2, 4, 5, 6, and 11. OVA readings significantly above background were recorded at Borings 2 and 5. The results of the volatile organic readings down the borings at the sampled depths are presented in Table 1-10-2, Section 3.2.4, of this report.

Because of unusual air monitoring measurements and water levels in the soil, additional samples were taken at the 5.8 to 6.2 ft interval of Boring 2, the 5.0 to 5.1 ft interval of Boring 5, and the 3.6 to 3.8 ft interval of Boring 6.

An M8 alarm and M18A2 test kit were used to monitor for the presence of chemical agents in the borehole or soil samples per standard operating procedures. The M8 alarm is used specifically to detect sarin (GB) and VX at detection levels of 0.2 and 0.4 milligrams per cubic meter (mg/m³) after a response time of 2 to 3 minutes (USAMDARC, 1979; USAMDARC, 1982). However, many other substances in addition to these two target compounds can cause the M8 alarm to respond, including smoke and engine exhaust. The M18A2 is used as a backup test if an M8 alarm is triggered, as a substitute for an M8, and as a specific check for the presence of mustard. The M18A2 detects G agents (including tabum, GA; sarin, GB; and soman, GD); V agents; all forms of mustard (mustard, H; distilled mustard, HD; thickened mustard, HT; nitrogen mustard, HN); cyanogen chloride, CK; phosgene oxime, CX; lewisite, L; ethyldichloroarsine, ED; and methyldichloroarsine, MD (HDOA, 1976). The detection limit for mustard agents is 0.5 mg/m³; the detection limit for GB is 0.2 mg/m³.

The M8 alarm sounded at a depth of 10 ft during the drilling of Boring 2; however, the reading could not be verified by a second M8 or by the M18A2 test kit. No other indications of possible chemical agents were detected by these instruments. An M260 meter was used to detect oxygen concentrations and explosive levels. No significant deviations from background were noted. No unexploded ordnance, buried metal, or other buried objects were detected during drilling. No unusual coloring or staining of the core samples was noted.

3.2.3 Geophysical Exploration

Although boring locations were cleared for safety purposes using geophysical techniques to avoid buried pipelines, no geophysical exploration was conducted at Site 1-10, as no other buried objects were expected to be present.

3.2.4 Phase I Analyte Levels and Distribution

Benzene, dicyclopentadiene, dieldrin, and methylene chloride were detected and copper, zinc, and mercury were found within or above indicator range in samples from Site 1-10. The number of samples containing each analyte; and the concentration range, median, mean, standard deviation, detection limit, and indicator level are listed in Table 1-10-1. The results of geologic field observations, air monitoring during drilling, and the chemical analysis of each soil sample are summarized in Table 1-10-2. The results of geologic field observations, air monitoring during drilling, and the chemical analysis of each soil sample are summarized in Table 1-10-2.

Indicator levels and ranges were established to assess the significance of metal and organic analytical values. The indicator level is the method detection limit for organic compounds. The indicator range for metals reflects the concentrations expected to occur naturally in RMA alluvial soils. Selection of these ranges is discussed in the Introduction to the Contamination Assessment Reports (ESE, 1986a).

The single occurrence of benzene was recorded at 7 micrograms per gram (ug/g) in the 9 to 10 ft interval of Boring 2. Boring 2 was the only boring drilled deeper than 5.5 ft, and the 9 to 10 ft interval was the only sample below the water table. Methylene chloride was reported in the 4 to 5 ft intervals of Borings 1, 2, and 3, all of which are located in the western portion of the site. The concentrations of methylene chloride ranged from 2 to 90 ug/g.

Dicyclopentadiene was detected by the volatile organic compound analytical method in Borings 4, 5, and 6 in the center of the site. It was found at a concentration of 200 ug/g in the 4 to 5 ft interval of Boring 4, where it was also detected by the semivolatile method, at 1 ug/g in the 5 to 5.1 ft interval of Boring 5, and at 4 ug/g in the 3.6 to 3.8 and 4 to 5 ft intervals of Boring 6. Dieldrin was detected at 2 ug/g in the surface (0-1 ft) interval of Boring 3, and at 20 ug/g in the surface interval of Boring 4.

Table 1-10-1. Analysis of Data on Chemical Constituents Detected During Phase I Field Study.

					Concentra	Concentration (ug/g)		
						UBTL	CAL	
Constituent	Number of				Standard	Detection	Detection	Indicator
Detected	Samples*	Range	Median**	Mean**	Deviation**	Limit	Limit	Level
Volatiles (N=17)								
Benzene	-	7	ı	•		0.3	0.3	, Ji
Dicyclopentadiene	4	1-200	,	ı	•	0.7	7.0	ž
Methylene chloride	m	2-90	1	í	ı	2	0.7	Id
	-							
Semivolatiles (N=29)								
Dicyclopentadiene		0.7-100	1	•		-	7.0	70
Dieldrin	2	2.0-20	1	ı	ı	0.3	0.3	DL
ICP Metals (N=30)								
Cadmium	0					0.74	99.0	1.0-2.0
Chromium	17	8.4-15	12	12	2.4	6.5		25-40
Copper	27	6.1-50	11	13	8.7	4.7		20-35
Lead	10	11-18	14	15	2.2	8. 4		25-40
Zinc	30	25-110	44	67	20	8.7		08-09
Arsenic (N=30)								
None detected	0					2.5	5.0	DL-10
Mercury (N=30)	 1	0.2	1	•	1	0.050	090.0	DL-0.10

* - Number of samples in which constituent was detected ** - Median, mean, and standard deviation not calculated when constituent detected in fewer than 5 samples

Site 1-10 3650A/1034A Rev. 3/2/87

Study.
Field
Phase I
ults of
2. Res
1-10-
Table

	Boring 1	1		Boring 2	8 2		Bo	Boring 3	Bori	Boring 4
Depth (feet) Geologic Material	0-1 Silt/ Silty Sand	4-5 Sand	0-1 Silty Sand	4-5 Sandy Clay/	5.8-6.2 Clay	9-10* Sandy Clay	0-1 Silty Sand	4-5 Clay	0-1 Silty Sand	4-5 Clay
Percent Fines	80-10	0	20	60 60	100	. 09	10	100	٧.	100
AIR MONITORING									(
Volatile Organic Readings (ppm)										
HNU	. GXB	1.8	0.2	0.1	NR	4.5-14.5**	BKD	8.0	BKD	249.4
OVA	0.1	3.3	NR	NR	3.8-48.8**	13.8**	BKD	1.3	N.	'NR
SOIL CHEMISTRY										
Volatiles (ug/g)										
Benzene	W	BDL	NA NA	BDL	BDL	7	¥	BDL	٧×	BDL
Dicyclopentadiene Methylene chloride	NA NA	BDL 2	V V	BDL 10	TOR RDT	BDL	NA NA	8DL 90	NA NA	200 BDL
Semivolatiles (ug/g)										
Dicyclopentadiene Dieldrin	BDL	BDL	BDL BDL	BDL	BDL	BDL BDL	BDL 2	BDL	BDL 20	100 BDL
ICP Metals (ug/g)										
Cadmium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chromium	BDL	BDL	BDL	15	BDL	BDL	13	BDL	BDL	15
Copper Lead	BDL	BOL	PDI BDI	3DL	BDL	BDL	18	BDL	17	BDL
Z1nc		77	9	7	63	80	4 .	33	200	22
Arsenic (ug/g)										
None detected										
Mercury (ug/g)	BDL	0.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Site 1-10 3603A/1034A Rev. 4/21/87

BDL - Below detection limit
BKD - Background
NA - Volatiles not analyzed in 0-1 ft sample
NR - Not reported
* - M8 alarm went off after auger removed
** - Reading taken over cuttings rather than downhole

Table 1-10-2. Results of Phase I Field Study (Continued).

		Boring 5		Во	Boring 6		Во	Boring 7
Depth (feet) Geologic Material	0-1 Sandy Clay	4-5 Clay	5-5.1 Clay	0-1 Silty	3.6-3.8 Silty	4-5 Silty	0-1 Sand	4-5 Clayey
Percent Fines	09	100	100	Sand 40	C1.8y 90	Cl.ay 90	0	Sand 5
AIR MONITORING								
Volatile Organic Readings (ppm)							,	*
HNU	BKD	29-39	11-14	BKD	29.7*	40-50	6.0	1.0
OVA	0.1	58-68	NR	1.6	NR	NR	N.	NR
SOIL CHEMISTRY								
Volatiles (ug/g)								
Benzene Dicyclopentadiene Methylene chloride	NA NA	BDL BDL	BDL 1 BDL	NA NA NA	BDL 4 BDL	BDL 4 BDL	NA NA NA	108 100 100 100 100 100 100 100 100 100
Semivolatiles (ug/g)								
Dicyclopentadiene Dieldrin	BDL BDL	BDL	NR NR	BDL	0.7 BDL	BDL	BDL BDL	BDL BDL
ICP Metals (ug/g)								
Cachium Chromium Copper Lead Zinc	BDL 12 13 13	BDL 11 15 17 81	BDL 12 13 BDL 88	BDL 15 11 14 42	BDL 15 17 BDL 48	BDL 15 17 BDL 46	BDL 8.4 6.7 BDL 38	BDL 9.0 6.3 8DL 36
Arsenic (ug/g)								
None detected								
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

BDL - Below detection limit
BKD - Background
NA - Volatiles not analyzed in 0-1 ft sample
NR - Not reported
* - Reading taken over cuttings rather than downhole

Site 1-10 3603A/1034A Rev. 4/21/87

Table 1-10-2. Results of Phase I Field Study (Continued).

	Boring 8	88	Boring 9	6	Boring 10		Boring 11	11
Depth (feet) Geologic Material Percent Fines	0-1 Clayey Silty Sand 30	4-5 Clay 100	0-1 Sand 0	4-5 Sand 0	0-1 Silty Sand Silt 40	4-5 Sandy 60	0-1 Sandy Silt 90	4-5 Sand 0
AIR MONITORING								
Volatile Organic Readings (ppm)								•
HNU	BKD	0.5	BKD	0.3	9.0	1.0	4.0	5.6-12
OVA	RN	NR	ВКД	N.	NR	NR	NR	NR
SOIL CHEMISTRY								
Volatiles (ug/g)				•				
Benzene Dicyclopentadiene Methylene chloride	NA NA NA	BDL BDL BDL	NA NA NA	BDL BDL BDL	NA NA NA	BDL BDL BDL	NA NA NA	BDL BDL BDL
Semivolatiles (ug/g)								
Dicyclopentadiene Dieldrin	BDL BDL	BDL BDL	BDL BDL	BDL BDL	BDL BDL	BDL	BDL BDL	BDL
ICP Metals (ug/g)								
Cadnium	BDL	BDL	BDL	BDL	BDL	BDL	TOR	BDL
Chromium Copper	8.0 	BDL 14	7.6 8.7	BDL	12 7:2	BDL 23	12 8.5	10 6.7
Lead	111 38	BDL 49	BDL 31	BDL 26	BDL 45	BDL 60	14 50	14
Arsenic (ug/g)								
None detected								
Mercury (ug/g)	708	BDL	BDL	BDL	BDL	BDL	BDL	BDL

BDL - Below detection limit BKD - Background NA - Volatiles not analyzed in 0-1 ft sample NR - Not reported

Site 1-10 3603A/1034A Rev. 4/21/87

,我们想要给这个人的人的意思,可以不是一个"最大的"的一个"我们"的一个"我们"的一个"我们"的一个"我们"的一个"我们"的一个"我们"的一个"我们"的一个"我们"的一个"我们"的一个"我们"的一个"我们"的一个"我们"的一个"我们"的一个"我们",我们是一个"我们"的一个"我们",我们就是一个

Table 1-10-2. Results of Phase I Field Study (Continued).

	Boring 12	12	Boring 13	g 13
Depth (feet) Geologic Material	0-1 Clayey	4-5 Sand	0-1 Sand	4-5 Claystone
Percent Fines	Silty Sand 10	0	0	100
AIR MONITORING				
Volatile Organic Readings (ppm)				
HNU	0.1	0.3-0.5	0.1	0.3
OVA	NR	NR	N.	NR
SOIL CHEMISTRY				
Volatiles (ug/g)				
Benzene Dicyclopentadiene Methylene Chloride	NA NA NA	BDL BDL BDL	N N N AN	8DL 8DL 8DL
Semivolatiles (ug/g)				
Dicyclopentadiene Dieldrin	BDL BDL	BDL BDL	BDL BDL	BDL BDL
ICP Metals (ug/g)				
Cadmium Chromium Copper Lead Zinc	BDL 15 8.0 13	BDL BDL 7.6 BDL 29	80L 80L 80L 80L 25	BDL BDL 50 16 110
Arsenic (ug/g)				
None detected				
Mercury (ug/g)	BDL	BDL	BDL	BDL

BDL - Below detection limit

NA - Volatiles not analyzed in 0-1 ft sample

NR - Not reported


Site 1-10 3603A/1034A Rev. 4/21/87 Metals detected within or above their respective indicator ranges in samples from Site 1-10 were copper, zinc, and mercury. The amounts detected appear to be uniformly distributed both laterally and vertically throughout the site. Mercury was detected at 0.2 ug/g in the 4 to 5 ft interval of Boring 1. Copper and zinc were within or above their indicator ranges in samples from Borings 2, 5, 10, and 13. The distribution of analytes detected within or above their indicator ranges at Site 1-10 in the Phase I program is presented in Figure 1-10-6. A tabulation of all analytical data associated with the Phase I program is presented in Appendix 1-10-B.

In addition, several compounds were detected by GC/MS that were not conclusively identified. Table 1-10-3 lists the boring number, sample interval depth, relative retention time (shown as "unknown number" on the the table), concentration, sample number, lot, best-fit identification, and comments for these nontarget compounds. It should be noted that an individual compound may have more than one retention time, and also that a particular retention time may be assigned to more than one compound. Therefore, Table 1-10-3 provides only a general indication of additional compounds that may be present. In the nontarget fraction, 1,1,2,2-tetrachloreothane was tentatively identified in Boring 12 (at the 0-1 ft interval), and a benzene was tentatively identified in Boring 4 (4-5 ft interval). Low concentrations of chlorinated unknowns were also found in Boring 4 (0-1 ft interval).

3.2.5 Phase I Contamination Assessment

Phase I samples from Site 1-10 had detectable levels of benzene, dicyclopentadiene, methylene chloride, and dieldrin, and concentrations of copper, zinc, and mercury within or above indicator range.

Benzene was detected in the single soil sample from the water table at Site 1-10, and may be a reflection of the benzene found in the groundwater underlying the site. Although there was a benzene spill reported in the south tank farm area, there was no indication of this compound in the near-surface soils. Detected dicyclopentadiene concentrations were clustered in the



Prepared for:

Program Manager's Office for Rocky Mountain Arsenal Cleanup Aberdeen Proving Ground, Maryland FIGURE 1-10-6
Analytes Detected Within or Above Indicator Levels

Rocky Mountain Arsenal, Task 2

Prepared by: Ebasco Services Incorporated

					~						leum derived							
Comments	×	possibly associated w/gasoline possibly associated w/gasoline	Possion A gasoline A	possibly associated w/gasoline possibly associated w/gasoline K	×	* *	×	* *	×	* *	F, possibly a coal tar or petroleum derived product	⋖ 6	·	Q	¥	♥ .	≪ ⋖	
Best-fit / Identification		2-pentanone a dimethyl cyclohexane	ernytytyteane	octane a trimethyl 2-pentene			ethylcyclohexane C-9 alkane				3A,4,7,7A-tetrahydro-4, 7-methano-1H-indene		nexadecanore acru unknown with 6 chlorines	alcohol GT C-17	unknown with 6 chlorines	unknown with 6 chlorines	unknown with 6 chlorines	
ot.	AAN	AAO AAO	AA0	AAO AAN	AAN	AAO	ABO ABO ABS	AAO	AAN	AA0 AAN	ABS	ABS	ABS	ABS	ABS	ABS	ABS	App
Lot	₹	< < <																
Sample Number L	003 AA	007 A		000 004 006	007	600 008	002 002 001	010	900	900	005	002	002	002	002	005	005	700
	003		000		007	600	1.8 002 1.6 002 001	010 009	900	900	0.3 002	0.6 002						
Sample Number	003	007	0.1 007	0.4	007	600		010 000	900	900			. 00.0		0.8	0.3		7.0
Concentration Sample (ppm)* Number	003	0.2 007	0.1 007	0.4	0-1	4-5 009 008	1.8	8.9-9.8 000	0-1 005	4–5 008 006	0.3	9.0	. 00.0	0.2	8.0	0.3	0.0	7.0

<sup>A - No positive identification
D - Derived from natural products
F - Low concentration
GT - Greater than
K - None detected
* - Values reported are blank corrected</sup>

Site 1-10 4238A/1064A Rev. 3/27/87

Table 1-10-3. Tentative Identification of Nontarget Compounds (Continued).

	Comments	•		possibly a coal tar or petroleum derived	product ,	: ≪	•	₩		, A	■		■		⋖	₩.	А	ж			×	×	x	.	×	Q	
B 000 F	Jentification		C1Ht-benzene	3A,4,7,7A-tetrahydro-4,	/-metnano-in-indene related to INK #563	spectrum related to UNK #543	isomer of UNK #564					isomer of UNK #581		isomer of UNK #583					ethylcyclohexane	C-9 alkane		C-9 alkane		C-9 alkane	C-9 alkane	C-17 alcohol	
	· Lot	A BO	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABS	ABO	ABO	ABS	ABO ABS	ABS	ABO ABS	ABO ABS	ABZ	
Sample	Number	003	003	003	003	003	003	003	003	003	003	003	003	003	003	003	003	004	, 004	700	900	900	000	000	900		
Concentration	*(mdd)	30	12	4.0	30	15	20	7.0	7.0	0.4	0.6	30	6.1	10	12	4.0	0.9		1.4	1.1	·	1.3		1.1	1.5	0.5	
ilnknown	Number	146	539	543	563	564	266	. 695	573	578	581	582	583	584	585	586	587		133	160	}	160		160	160	634	
Interval	(ft)	4-5	-															0-1	4-5			5-5.2	0-1	3.6-3.8	4-5	0-1	
Borehole	Number	4																'n					9			7	

A - No positive identification
D - Derived from natural products
K - None detected
UNK - Unknown
* - Values reported are blank corrected

Site 1-10 4238A/1064A Rev. 3/27/87

it s													
Comments	**	×	* *	×	×	a	* *	×	a a		* *	√ Ω	K K
Best-fit Identification					2,2,4-trimethylpentane	hexadecanoic acid C-16 alkene			ethylcyclohexane C-9 alkane alcohol GT C-17	1,1,2,2-tetrachloroethane a trichloro 1-propene		hexadecanoic acid C-18 aldehyde	
Lot	ABR ABZ	ABZ	ABR ABZ	ABZ	ABR AB2	ABZ ABZ	ABR ABZ	ABS	ABO ABO ABS	AB2 AB2	ABR ABZ	ABZ ABZ ABZ	ABR
Sample Number	003	800	000	010	006	900	004	010	008 008 011	002	002	012 012 012	007 013
Concentration (ppm)*					3.0	0.5			1.7 1.4 0.2	1.4		0.2 0.3 0.3	,
Unknown Number				-	125	610 619			133 160 635	531 535		529 609 ' 636	
Interval Depth (ft)	4-5	0-1.	4-5	0-1	4-5	0-1	4-5	0-1	4-5	0-1	4-5	0-1	4-5
Borehole Number	7	&		6		10		. 11		12		13	

<sup>A - No positive identification
D - Derived from natural products
GT - Greater than
K - None detected
* - Values reported are blank corrected</sup>

Site 1-10 4238A/1064A Rev. 3/27/87

vicinity of Borings 4, 5, and 6. Historical data indicate that tanks in this vicinity (Tanks 463A and 463F) were used to store alcohol; Tank 463F was also used to store bicycloheptadiene but not dicyclopentadiene. Tanks 462A, 463C, and 463G were used to store dicyclopentadiene at some time in their recorded usage. There is no apparent correlation between the distribution of dicyclopentadiene concentrations detected during Phase I and the locations of these tanks. The distribution of methylene chloride was limited to the western portion of the site. The two locations at which dieldrin was detected (Borings 3 and 4) were adjacent to each other in the western portion of the site, in the surface samples from the same borings.

The distribution of metals detected across the site showed no discernible pattern. The single concentration of copper and the concentrations of zinc that exceeded indicator range were all associated with clay or claystone and are within the normal range of these metals in western soils. The only detected concentration of mercury (Boring 1) was above its indicator range and will be investigated further in the Phase II program.

The semivolatile method, although not certified for volatile compounds, has been shown to be capable of detecting tetrachloroethylene, toluene, chlorobenzene, ethylbenzene, and xylenes in the nontarget fraction. The absence of these compounds in the nontarget results for this site is an indication that there is no contamination present from these compounds.

3.3 PHASE II SURVEY


Based on the results of the Phase I program, a Phase II program is proposed to further assess:


- o The vertical and horizontal extent of methylene chloride in the vicinity of Borings 1, 2, and 3;
- o The horizontal extent of dieldrin in the vicinity of Borings 3 and 4;

- o The vertical and horizontal extent of mercury in the vicinity of Boring 1;
- o The vertical and horizontal extent of dicyclopentadiene in the vicinity of Borings 4, 5, and 6;
- o Whether organochlorine pesticides, methylisobutyl ketone, and mercury extend into the northeast corner of Site 1-10 from Site 1-8;
- o Whether potential contaminants have leaked from the tanks onto adjacent areas; and
- o Whether the benzene concentrations detected in soils in or near the saturated zone at this site are the result of groundwater contamination.

To satisfy the first five objectives listed above, a boring program will be undertaken during Phase II. Hand-augered samples will also be taken to assess whether potential contaminants have leaked from the tanks. These eleven samples will be hand-augered where drill rig access is difficult. They will be taken to 5 ft below the surface inside the dike and adjacent to each tank or former tank location in Site 1-10. This part of the Phase II program will be drilled and sampled as shown in Figure 1-10-7.

The last objective will be addressed with a Phase II soil gas program that is proposed for Site 1-10 and portions of Sites 1-9, 2-13, and 2-2 (Figure 1-10-8). This program will assess the presence of a possible benzene plume in the groundwater beneath these sites to explain the presence of the benzene detected in Boring 2 of Site 1-10 and of benzene near the water table in other sites. Soil gas survey points will be placed at 50 ft grid spacings. The grid will be adjusted locally to avoid cultural features such as roads, buildings, and pipelines. An estimated 700 soil gas survey points will be placed.





The number of borings and samples to be taken at specific depths during Phase II are tabulated below.

No. of Borings	Depth (ft)	No. of Samples
<pre>11 (hand-auger)</pre>	5	22
` 7	8	24
4	10	14

The number of samples to be tested by each analytical method is listed below:

Analytical Method	No. of Samples
Organochlorine pesticides (OCP)	11
Dicyclopentadiene (DCPD, volatile method)	9
Purgeable organohalogen (POH)	24
Mercury (Hg)	15
Volatile organics (VO)	11
Semivolatile organics (SVO)	22
Methylisobutyl ketone (MIBK)	3

Soil Gas Survey	No. of Samples
Benzene	700
Ethylbenzene	700
Toluene	700
Xylenes	700

The draft final version of this report and the proposed Phase II program have been reviewed in an on-post MOA meeting of January 14, 1987. Comments were received from the Colorado Department of Health on November 21, 1986, and from Shell Chemical Company on November 17, 1986. These comments were considered in the preparation of this final report. EPA comments are an integral part of the report review process, and previously have been incorporated into this report. Comments and responses are provided in Appendix 1-10-C.

3.4 QUANTITY OF POTENTIALLY CONTAMINATED SOIL


The originally calculated estimate of the extent of potentially contaminated soil (RMACCPMT, 1984/RIC 84034R01) was:

Estimated Areal Extent = 473,600 ft²;
Estimated Vertical Extent = 10 ft; and
Estimated Volume = 175,000 cubic yards (yd³).

As a result of Phase I analyses, the estimated volume of potentially contaminated soil has been revised to 74,000 yd³ based on the following data. The 9 to 10 ft interval of Boring 2 is the deepest interval sampled during Phase I, and it contained detectable levels of benzene. However, groundwater was reached at 7.5 ft in the same boring. The benzene is considered to be associated with a groundwater plume and its extent will be investigated in the Phase II program.

Dicyclopentadiene and methylene chloride were detected in the 4 to 5 ft intervals of Borings 1, 2, 3, 4, 5, and 6. The area encompassing these borings is bounded by the site boundaries on the north, south, and west and by a north-south line passing through Boring 11 on the east. The area of this portion of the site is 261,800 ft². In addition, a circle with a radius of 50 ft around Boring 1 is assumed to be potentially contaminated (Figure 1-10-9). The area of the part of the circle beyond the site boundary is 5333 ft² measured by planimeter, giving a total area of 267,133 ft². This area is considered to be potentially contaminated to a depth of 7.5 ft, the depth to the water table. Therefore, the total estimated volume of potentially contaminated soil is 74,000 yd³.

Results from the Phase I survey were used to generate a most conservative (worst-case) estimate of the volume of potentially contaminated soil at Site 1-10. This delineation of the boundaries of potential contamination should not be construed to indicate the actual presence of contamination within the volumes outlined. In addition, this approach is not intended to imply that any or all of the soil within the potentially contaminated volume must be



remediated, nor does it make any assumption about the type of remediation that may be required. Rather, this approach is intended to provide preliminary estimates of the maximum possible volume of contaminated materials for planning purposes only.

The estimated volume of potentially contaminated soil will be refined further after the results of the Phase II program are obtained.

R. L. St

th R. L.

Computer

Compute

photogr

ocky Mo neer Di

t of 40

3 Compu

chnica -84-Dsenal

ion to am Man

> port, enal

> > omput

ectio

THIS **PAGE** IS MISSING IN ORIGINAL DOCUMENT

- HDOA (Headquarters-Department of the Army). 1976. Technical manual, detector kit, chemical agent, ABC-M18A2. TM3-6665-254-12.
- Helfer, M.G. 1967, June 19. Inspection report titled, acetylene tank farm. Shell Chemical Company, Microfilm RSH925, Frames 1013-1013.
- Helfer, M.G.: 1969, January 22. Inspection report Tank 462A. Shell Chemical Company, Microfilm RSH925, Frame 1012.
- Helfer, M.G. 1969, July 15. Inspection report Tank 462A. Shell Chemical Company, Microfilm RSH925, Frames 1009-1010.
- Helfer, M.G. 1969, August 7. Inspection report Tank 462A. Shell Chemical Company, Microfilm RSH925, Frame 1008.
- HDOA (Headquarters-Department of the Army). 1976. Technical manual, detector kit, chemical agent, ABC-M18A2. TM3-6665-254-12.
- Justice, K.L. 1985, June 19. Juris deposition, v. 1. Juris Computer Database.
- Kauffman, G.W. 1980a, March 24. Water Analysis Denver Plant leasehold wells. Shell Chemical Company. Microfilm RSH815, Frames 2048-2049.
- Kauffman, G.W. 1980b, September 10. Soil samples south tank farm Denver chemical plant. Shell Chemical Company. Microfilm RSH912, Frames 0979-0983.
- Knaus, J.H. 1973, July 27. Air contaminant emission notice. Microfilm RSH925, Frames 1765-1768.
- Knaus, J.H. 1975, September 10. Letter from Shell to Histerek requesting that Tank 463D be released from its lease. Microfilm RSH928, Frames 1753-1753.
- Knaus, J.H. 1978, March 31. Letter from Shell discussing the renovation of the south tank farm. Microfilm RSH867, Frames 1676-1693.
- Knaus, J.H. 1985, October 15. Juris deposition, v. 3. Juris Computer Database.

RIC 81295R07

Kolmer, J.R., and G.A. Anderson. 1977. Installation restoration of RMA, part I - pilot containment operations final environmental impact statements. Microfilm RMA065, Frames 0484-0485.

RIC 82295R01

May, J.H. 1982. Regional groundwater study of Rocky Mountain Arsenal, Colorado: Report #1, hydrogeological definition. USAEWES. Microfilm RMA040, Frames 1851-1931.

RIC 83299R01

- May, J.H., J.K. Crabtree, R.W. Hunt, and W.L. Murphy. 1983, September. Hydrogeology of Basin A/South Plants Area, Rocky Mountain Arsenal, Denver, Colorado, phase I. USAEWES. Microfilm RVA001, Frames 1132-1297.
- Obel, J.A. 1969, October 24. Inspection report Tank 462A. Shell Chemical Company. Microfilm RSH925, Frame 1007.
- Reed, R.A. 1975, August 14. Inspection report Tank 462. Shell Chemical Company. Microfilm RSH925, Frame 1004.

RIC 82096R01

- Resource Consultants, Inc. 1982, March. Surface water hydrologic analyses. Rocky Mountain Arsenal. USATHAMA.
- RMA. 1945a, August 15. History of Rocky Mountain Arsenal 1945, part VII, production operations, Section 6, H manufacturing plant. Microfilm RSA009, Frames 1058-1077.
- RMA. 1945b. Engineering drawings D-675A and D-673.

RIC 84034R01

- RMACCPMT. 1984. Decontamination assessment of land and facilities at Rocky Mountain Arsenal, draft final report and executive summary. RMA, USATHAMA, and D'Appolonia.
- Shell (Shell Chemical Company). 1963, September. Cyclo unit operations, Denver Plant. Microfilm RSH928, Frames 0575-0576.
- Shell, 1985. Shell's response to Army Interrogatory #3. Department of Justice.

RIC 83041R01

Silveira, E.J. 1981. Analysis of Denver water samples. Shell Technical Progress Report No. M-9-81.

RIC 84100R01

Spaine, P.A., and R. Gregg. 1983. Surface water quality study of the South Plants Area.

RIC 83368R01

- Stout, K. and L. Abbott. 1982, October. Installation assessment, Rocky Mountain Arsenal, v. I and II. Bionetics Corporation, EPA, USATHAMA. Microfilm RAA020, Frames 1451-1498, 1578-1701.
- Technos (Technos Inc.). 1985. Geophysical investigation at the South Plants area of Rocky Mountain Arsenal, Denver, Colorado. Prepared for Envirosphere Company and USATHAMA. Ebasco No. 32523.

- Unauthored. 1975. Supplemental agreement No. 23 to Lease
 No. W025-075-ENG-7886. Shell Chemical Company lease with Army. Microfilm
 RSH931, Frames 0794-0803.
- Unauthored. 1979. Map titled, south tank farm, benzene, ppm. Microfilm RSH808, Frames 0437-0437.
- Unauthored. 1982. Past landfill activity. Microfilm REX001, Frames 0055-0075.
- USAMC (U.S. Army Materiel Command). 1973. Army Materiel Command contamination survey, Rocky Mountain Arsenal. Microfilm RMA031, Frames 1312-1392.
- USAMDARC (U.S. Army Materiel Development and Readiness Command). 1979.

 Safety regulations for chemical agent H. DARCOM-R 385-31. Department of the Army.
- USAMDARC. 1982. Safety regulations for chemical agents GB and VX. DARCOM-R 385-102. Department of the Army.
- USDA (United States Department of Agriculture). 1974, October. Soil survey of Adams County, Colorado. Soil Conservation Service.
- Wedler, E.H. 1986, April 29. Juris deposition, v. 1. Juris Computer Database.
- Williams, O.M. 1960a, November 14. Letter from Shell discussing the reassignment of Tank 462B. Microfilm RSH934, Frame 0705.
- Williams, O.M. 1960b, December 2. Letter from Shell discussing the installation of Tank 462B. Microfilm RNA009, Frames 0703-0704.

Appendix 1-10-A

Chemical Names and Abbreviations

APPENDIX 1-10-A Chemical Names and Abbreviations

	Synonymous Names Used	
<u>Analytes</u> '	in Appendix B	Abbreviations
Volatile Organics		
1,1-Dichloroethane	1,1-Dichloroethane	11DCLE
1,2-Dichloroethane	1,2-Dichloroethane	12DCLE
1,1,1-Trichloroethane	1,1,1-Trichloroethane	111TCE
1,1,2-Trichloroethane	1,1,2-Trichloroethane	112TCE
Benzene	Benzene	C6H6
Bicycloheptadiene	Bicycloheptadiene	BCHPD
Carbon tetrachloride	Carbon Tetrachloride	CCL4
Chlorobenzene	Chlorobenzene	CLC6H5
Chloroform	Chloroform	CHCL3
Dibromochloropropane	Dibromochloropropane	DBCP
Dicyclopentadiene	Dicyclopentadiene	DCPD
Dimethyldisulfide	Dimethyldisulfide	DMDS
Ethylbenzene	Ethylbenzene	ETC6H5
m-Xylene	m-Xylene	13DMB
Methylene chloride	Methylene Chloride	CH2CL2
Methylisobutyl ketone	Methylisobutyl Ketone	MIBK
o- and p-Xylene	Ortho- & Para-Xylene	XYLEN
Tetrachloroethylene	Tetrachloroethene	TCLEE
Toluene	Toluene	MEC6H5
trans-1,2-Dichloroethylene	Trans-1,2-Dichloroethene	T12DCE
Trichloroethylene	Trichloroethene	TRCLE
Semivolatile Organics		
1,4-0xathiane	1,4-0xathiane	TAXO
2,2-bis(Para-chlorophenyl)- 1,1-dichloroethane	Dichlorodiphenylethane	PPDDE
2,2-bis(Para-chloropheny1)-	Dichlorodiphenyltrichloro-	PPDDT
1,1-1-trichloroethane	ethane	
Aldrin	Aldrin	ALDRN
Atrazine	Atrazine	ATZ
Chlordane	Chlordane	CLDAN
Chlorophenylmethyl sulfide	p-Chlorophenylmethyl sulfide	CPMS
Chlorophenylmethyl sulfone	p-Chlorophenylmethyl sulfone	CPMS02
Chlorophenylmethyl sulfoxide	p-Chlorophenylmethyl sulfoxide	CPMS0
Dibromochloropropane	Dibromochloropropane	DBCP
Dicylopentadiene	Dicyclopentadiene	DCPD
Dieldrin	Dieldrin	DLDRN
Diisopropylmethyl phosphonate	Diisopropylmethyl phosphonate	DIMP
Dimethylmethyl phosphonate	Dimethylmethyl phosphate	DMMP
Dithiane	Dithiane	DITH

APPENDIX 1-10-A (Continued)

<u>Analytes</u>	Synonymous Names Used in Appendix B	Abbreviations
Semivolatile Organics (Continued)		
Endrin	Endrin	ENDRN
Hexachlorocyclopentadiene	Hexachlorocyclopentadiene	CL6CP
Isodrin	Isodrin	ISODR
Malathion	Malathion	MLTHN
Parathion	Parathion	PRTHN
Supona	2-Chloro-1 (2,4-Dichlorophenyl) vinyldiethyl Phosphates	SUPONA
Vapona	Vapona	DDVP
ICP Metals Screen		
Cadmium	Cadmium	CD
Chromium	Chromium	CR
Copper	Copper	CU
Lead	Lead	PB
Zinc	Zinc	ZN
Separate Analyses		
Dibromochloropropane	Dibromochloropropane	DBCP
Arsenic	Arsenic	AS
Mercury	Mercury	HG

Appendix 1-10-B

Phase I Chemical Data

APPENDIX 1-10-B Phase I Chemical Data

The analytical results of the laboratory analysis of soil samples collected as part of the Phase I program comprise the first part of Appendix 1-10-B. Data are listed sequentially by boring number and successive depths below the surface. Within each depth, all analytes for which the samples were tested are listed alaphabetically. Results are given as less than (LT) the detection limit for the test laboratory, or as detected concentrations above this limit. Based on the accuracy of laboratory test methods, values for volatile and semivolatile compounds are considered accurate to one significant figure, values for dibromochloropropane when tested separately and for metals are considered accurate to two significant figures.

The second part of Appendix 1-10-B contains data from the blanks associated with Phase I analytical work. Blanks for Phase I soil samples were based on a homogenized subsample of composited samples from a known uncontaminated soil that is stratigraphically similar to the RMA soils. Blanks for Phase I water samples were based on distilled water. Control samples, or blanks, are introduced into the train of environmental samples to function as monitors on the performance of the analytical method. These samples function as quality control (QC) samples, and are an integral part of the quality assurance (QA) program for the project. The method blanks listed in this Appendix were utilized to verify that the laboratory was not a source of sample contamination. If contamination were detected in a method blank, corrective actions were taken to assure that reported concentrations of target analytes reflected sample analytes, and not analytes introduced by the laboratory process.

Summary of Analytical Results

South Tank Farm

Sample Number	AANOO3	AA0007 AA0007 AA0007 AA0007
Units		00000
Results	หตุมหม ดูจุหุดดู ดูมูจุมม หุมมูตุม มูดูญมูดู จุม ม D จ จ จ	LT 301 LT 301 LT 901 LT 301
Analytical Parameters	Aldrin Arsenic Arrazine Cadmium Hexachlorocyclopentadiene Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulforide Chomium Copper Chromium Copper Dibromochloropropane Dicyclopentadiene Vapona Disopropylmethyl Phosphonate Dithiane Disthiane Disthiane Disthiane Disthiane Dieldrin Endrin Malathion 1,4-Oxathiane Lead Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane
Sample	8011	Soil
Depth (ft)	1-0	4-5
Borîng Number	0001	0001

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Farm
Tank
South

			Sample	
		,	- - -	24.0
	South Tank Farm			Results
KOCKY 1100110011	01-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	Tesk Z , Stre z		Parameters
	Ebasco Services Incorporated	Summary of Analytical Results	A THE COLUMN TWO IS NOT THE OWNER OF THE COLUMN TWO IS NOT THE COL	Sample
	Ebas	SUMM		1

Boring

9000

Number		ABS007	ABSUU/	ABSOUT	ABSOU?		ABG009	ABG009	ABS007	ABS007	ABS007		ABS007	ABS007	ABS007	ABS007	AB3009	•	ABS007	ABS007	ABS007	ABG009	ABS007	!	ABS007		ARS007	ABS007		ARGUD9		AB0007	AB0007	AB0007	AB0007	AB0007		ABS009		ABSOO		
4		e/en	o/on	D/00	0 / 0 0 / 0	00/00	0/00	0/00	0/01	0/01	0/01	5	0/00	0/00	6/6N	0/00	6/60	5	0/01	0/011) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c			000			6/6n		1 n9/9	0/0:-						0/6n 10		-01 ug/g		
	Results	11 301		4.	7.	LT 601	101		7 - 7		4	÷		, r		; •		٠. د	1	LT 3UI	٠,		1.4	LT 3U1		LT 601			LT 301		4.2 +01		LT 3UL	,	· ·	11 301	:	. + + -01		'n		
	Analytical Parameters		Hexachlorocyclopentadiene	Chiordane	p-Chlorophenylmethyl Sulfide				Chromium	Copper	Dibromochioropi Updito	Dicyclopentadiene	Vapona		D11sopropy American	olintalia office	Dieldrin	Endrin	Mercury		Isodrin	Malathion	1,4-0xathiane	Lead	Dichlorodiphenylethane		Dichlorodiphenyltrichio	ethane	parathion	2-Chloro-1(2, 4-Dichiologici) -:	Vinyldiethyl Phosphates	Zinc		1,1,1-Trionio ocum.	1,1,2-Trichlor German	1,1-Dichiorocaliano	1, Z-DICHIO CC	B-XY Laria	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Ald III	Arsonia	Atrezine
	Sample			2011																•														Soll								
Se description of the second s	(++) 41	Depth (15)		01																														•	0.010.0							
	ing	ber	-	906)																														9000							

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

17

AAI015 6/6n 2.0 -01

AANDO4 AAOOO7 e/en -10 10 m M ---

Isodrin

Task 2 , Site 1-10

Summary of Analytical Results

South Tank Farm

Sample	AANDO4, ABDD12 AANDO4 AANDO4	AA0007 AA0007 AA0007 AA0007	ABD012	AANDO7 AAVO13 AANO07 ABDO15 AANO07	AANOO7 AANOO7 AANOO7 AANOO7 ABDO15	ABDO15 AANDO7 AANDO7 AANDO7 AANDO7	AANOO7 AANOO7 AANOO7 AAIO18 AANOO7
Units	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	a/an	6/6n 6/6n 6/6n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0/0n 0/0n 0/0n	6/6n 6/6n 6/6n
Results	LT 6. +00 LT 8.4 +00 LT 301 LT 601 LT 401	LT 301 LT 301 LT 301 LT 301 LT 301	2.7 +01	LT 301 LT 5.0 +00 LT 301 LT 7.4 -01 LT 301	LT 601 LT 4. +00 LT 7. +00 LT 601 LT 6. +00	1.8 +01 LT 301 LT 401 LT 301 LT 301	LT 7. +00 LT 301 LT 301 LT 5.0 -02 LT 301
Analytical Parameters	1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion	2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene	Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordene p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiane Dieldrin Endrin Mercury Isodrin
Sample	Soil			Soll			
Depth (ft)	45			0-1			
Boring	0001			0002			

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Sample

Number

AANO07 **ABD015** AANO07

AANO07

AANO07

Summary of Analytical Results Ebasco Services Incorporated

Task 2 , Site 1-10	South Tank Farm	E COL		
Analytical Perameters	Resi	Results		Units
Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	55555	3. 8. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	-01 +00 +00 -01	0/6n 0/6n 0/6n 0/6n
Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	ר <u>י</u>	4. 3. 6.4	-01 -01 +01	6/6n 6/6n
1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	ווונל	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	010000	0/0n 0/0n 0/0n
Aldrin	LT	м.	-01	0/60

5011

0 - 1

0002

Sample

Type

Depth (ft)

Boring Number Soil

4-5

0002

00/00 6/6n 6/6n a/an 6/6n ma/an o/on e/en o/on o/on o/on 0/00 e/en o/on na/a o/on o/on o/on 00 +00 + -01 -01 -01 -01 -01 -01 +01 +01 -01 -01 -01 -01 +01 -01 5.0 +00 -01 1.5 è. ---1111 ۲ ۲ ۲ ۲ p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfone Hexachlorocyclopentadiene Dibromochloropropane Dibromochloropropane Carbon Tetrachloride Methylene Chloride Bicycloheptadiene Ch1 or obenzene Chloroform 1,1,1-Tr10 Ch1ordane 1,1-Dichle 1,2-D1chl Chromium Atrazine m-Xylene Cadmium Arsenic Benzene Copper Aldrin

AA0009 AAODD9 AAN008 **AA0009**

AANDO8 AA0009 AA0009 **AA0009 ABD016**

AAOOO9 AAODOAA AAODD9 AANGO8 **AAV014**

ABD015 **AA0009** AAOOO9

AANO07 AANO07

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

.

AAN008 **ABD016 ABD016 AA0009**

AANOOB AAN008 **AANDOB** AAN008

Summary of Analytical Results

Sample	AAN008 AAN008 AAN008 AAN008 AAN008 AAN008 AAN008	AALULY AANOO8 AANOO8 AANOO8 AANOO8 AANOO8 AANOO8	AA0009 AA0009 AA0009 AB0016 AB0002 AB0002 AB0002 AB0002 AB0002
Units			
			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Results	4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	ું મુખ્યમ્ જુમ્જું તુમ્ ⊐ ત	คุยอยุการ คุย ช
R.	בללל לללל	ול ללל ללללל כ	ל ללללל לללל
Analytical Parameters	Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene	Mercury Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane blichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc 1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin
Sample	5011		Soi1
Depth (ft)	4 · 5		5.8-6.2
Boring	0000		0005

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated

5.8-6.2

0002

Boring Number

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions.

ø

Sample Number	ABS001, ABS001	ABS001 ABS001	AB0002	AB0002	AB0002	ABG002 ABG005	AA0010	AA0010	AA0010	AA0010	AA0010	AANOO9	AAV015	AANDO9	AA0010	AA0010	AA0010	AB D017	AA0010	AA0010	AANDD9	AA0010	AANOO9	AANOO9	AANOO9	AANDO9	ABD017	ABD017	AANOO9
Units	6/6n	o/on	6/6n	e/en	og/on	0/0n	6/6n	e/en	o/on	0/6n	. B / B / C	6/6n	ø/øn	6/6n	o/on	na/an	0/00	o/on	p/on	o/on	0/00	e/en	o/on	0/00	0/00	6/6n	o/on	6/6n	6/60
S	-01	-01	-01	-01	-01	-01 +01	-01	-01	-01	-01	-01	-01		-01	-01	00+	-01		-01	-01	-01	-01	-01	00+	00+	-01	00+	00+	
Results	. o	4 w	m,	ĸ,	m' I	6.3	ĸ,	ъ.	٠.	ю. 1	٧.	ю,	5.0	<u>ښ</u>	М.	7.	m.	7.4	7.	'n	w,	w.	9	4.	7.	٠,	6.5	8.9	'n
5 6	רן	L1 L1	LT	۲,	ן.	- 1	۲	17	ר	: ב	_	L	-	L	_		1	٦	Ļ	_	ר	ר	Ļ	17	1	LT	-		LT
Analytical Parameters	Dichlorodiphenylethane Dichlorodiphenyltrichloro-	ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl)	Vinyldiethyl Phosphates Trans-1,2-Dichloroethene	Tetrachloroethene	Trichloroethene	Ortho- & Para-Xylene Zinc	1.1.1-Trichloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	m-Xylene	Aldrin	Arsenic	Atrazine	Bicycloheptadiene	Benzene	Carbon Tetrachloride	Codmitum	Methylene Chloride	Chloroform	Hexachlorocyclopentadiene	Chlorobenzene	Chlordane	p-Chlorophenylmethyl Sulfide		p-Chlorophenylmethyl Sulfone	Chromium	Copper	Dibromochloropropane
Sample Type	Soil						Soft	• • •																					
Depth (ft)	5.8-6.2						0-1	0																					
Boring	0005						0000	7000																					

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

The second of th

	Sample Number	AA0010 AAN009 AA0010 AAN009	AANDO9 AANDO9 AANDO9 AANDO9	AAN009 AAN010 AA0010 AA0010 AAN009
	Units	0/0n 0/0n 0/0n	0/0n 0/0n 0/0n	0/0n 0/0n 0/0n
_	m	-01 -01 -01 -01	+00 +01 -01	-01 -01 -01 -01
F. 85.	Results	44 N N N N	******	0.000 000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.
grk	Res	111111111111111111111111111111111111111	: : : :	
Task 2 , Site 1-10 South Tank Farm	Analytical Parameters	Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene	Mercury Isodrin Toluene Methyllsobutyl Ketone Malathion

Hexachlorocyclopentadiene

Atrazine Arsenic Cadmium

Aldrin Zinc

5011

0-1

0003

AANOOS ABD013 AANDD5

o/on

-01 -01

5.0 3. 7.4 3.

こしにに

AAV011

0/00 ø/øn

9

-01 -01

AANDO5

ABD017

o/on o/on

107

8.6

AA0010 AA0010

0/00 e/en

6/60

-01 -01

۲

-0 -01

6/6n

ABD017 AAN009

a/an 6/6n 6/6n

80

-01

-01

AANOO9 AANDO9

> Sample Type

> > Depth (ft)

Boring Number

Summary of Analytical Results Ebasco Services Incorporated

Soil

9-10

0002

AANDD9

AAND09 AANOO9 AA0010 AA0010

6/6n

-0.1

0/00

-01

'n

۲

2-Chloro-1(2,4-Dichlorophenyl)

Vinyldiethyl Phosphates Trans-1,2-Dichloroethene

Ortho- & Para-Xylene Tetrachloroethene Trichloroethene

Dichlorodiphenyltrichloro-

Parathion

ethane

Dichlorodiphenylethane

1,4-0xathiane

Lead

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Farm	
Tank	
South	

Sample	AANDOS AANDOS AANDOS AANDOS ABDO13	ABD013 AAN005 AAN005 AAN005 AAN005	AANOOS AANOOS AANOOS AAIO16	AANOO5 AANOO5 ABDO13 AANOO5 AANOO5	AANDOS AANDOS ABDO13	AAOOOB AAOOOB AAOOOB AAOOOB AANOO6 AAVO12 AANOO6 AANOO6
Units	0/0n 0/0n 0/0n	00/000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Results	LT 601 LT 4. +00 LT 7. +00 LT 601 1.3 +01	1.3 +01 LT 301 LT 301 LT 301	LT 7. +00 2. +00 LT 301 LT 5.0 -02 LT 301	LT 301 LT 6. +00 LT 3. +01 LT 301 LT 601	LT 401 LT 301 4.7 +01	LT 301 LT 301 LT 301 LT 301 LT 5.0 +00 LT 301 LT 301
Analytical Parameters	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiene Dieldrin Endrin Mercury Isodrin	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Perathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene
Sample	Soft					5011
Depth (ft)	0-1					4 5 -
Boring	0003					0003

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated

Depth (ft)

Boring Number

4-5

0003

South Tank Farm

Soil Carbon Tetrachloride Candium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlorobenzene Chlorophenylmethyl Sulf p-Chlorophenylmethyl Sulf Copper Chromium Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Dicyclopentadiene Dicyclopentadiene Dicyclopentadiene Dicyclopentadiene Dicyclopentadiene Endrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloroc	Sample Type Analytical Parameters	ež	Results	6	Units	Sample
Carbon Tetrachlori Cadmium Methylene Chloride Chlorobenzene Dechlorophenylmeth Chromium Copper Dibromochloropropa Dibromochloropropa Dibromochloropropa Dibromochloropropa Disopropylmethyl Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ket Malathion 1,4-Oxathiane Lead Dichlorodiphenyle Dichlorodiphenylt	1	-	•	ć	7	
Tetrachlori Tetra		<u>-</u>	ċ	70	9.	00000
or Chloride or Cyclopen or Cyclopen or Cyclopen ophenylmeth ophenylmeth chloropropa chloropropa chloropropa chloropropa opylmethyl n ldisulfide nzene nzene ooylmethyl chloropropa ooylmethyl ooyle	Carbon Tetrachloride	-1			ø/øn	AA0008
orm orocyclopen enzene ophenylmeth ophenylmeth ophenylmeth m chloropropa chlor	Codmium	11	7.4	-01	0/00	ABD014
	Methylene Chloride		6	+01	na/a	AA0008
Hexachlorocyclopentad Chlorobenzene Chlorophenylmethyl p-Chlorophenylmethyl chromium Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona Disyclopentadiene Vapona Disyclopentadiene Vapona Disyclopentadiene Vapona Disyclopentadiene Vapona Disyclopentadiene Vapona Disyclopentadiene Methyldisulfide Endrin Endrin Endrin Isodrin Isodrin Toluene Methylisobutyl Keton Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha Dichlorodiphenyltric	Chloroform	LT	ņ	-01	6/6n	AA0008
Chlorobenzene Chlorobenzene Chlorobenzene Chlorophenylmethyl p-Chlorophenylmethyl Chromium Copper Dibromochloropropane Dicyclopentadiene Vapona Disyclopentadiene Vapona Disylpenzene Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Keton Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha Dichlorodiphenyltric	14 - 12 - 12 - 12 - 12 - 12 - 12 - 12 -	-		-01	מ/מ	AANDO6
lmeth lmeth lmeth lmeth propa propa tene iene thy1 thy1 thy1e			P.	5	0/011	AAOOOB
henylmeth henylmeth henylmeth loropropa loropropa ntadiene ntadiene ylmethyl isulfide ene ene ilane		- -		֡֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֓֓	0/00	AANDO
p-chlorophenylmethyl chromium Copper Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Disyclopentadiene Vapona Disyclopentadiene Vapona Disyclopentadiene Vapona Disyclopentadiene Malathin Isodrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Keton Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha Dichlorodiphenyletha	1244			, C	0/01	AANDOS
phenylmeth hloropropa hloropropa entadiene entadiene entadiene pylmethyl disulfide zene cene		0		200	0/00	AANOO6
hloropropa hloropropa entadiene entadiene pylmethyl disulfide zene cene diphenyle diphenyle		Sulfone	9	-01	0/00	AANOO6
hloropropa hloropropa entadiene entadiene pylmethyl disulfide zene cene hiane hiane diphenyle				2 +00	o/on	ABD014
Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona Disopropylmethyl Phy Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Keton Malathion 1,4-0xathiane Lead Dichlorodiphenyletha Dichlorodiphenyletha					0/00	ABD014
Dicyclopentadiene Dicyclopentadiene Vapona Disopropylmethyl Phy Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Keton Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha	Dibromochloropane	<u></u>			0/00	AANDO6
	Dibromochloropropane	LT		-01	ø/øn	AA0008
		-		5	7	AUUNAA
		- -		֓֞֓֓֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	70	AAAAA
	OTCACTORALICATE IS	- + 		; č	7	AANIOOA
				֖֡֞֞֜֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	0 / 0 / 0	ANDOR A
Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketom Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha	Diisopropylmethyl Phosphonate	onate		5	0 (0)	AANOOO
Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketom Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha	Dithiane	L1	,	00+	6/6n	AANOOS
Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Keton Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha	מניים ביים	ר		-01	o/on	AAN006
Endrin Ethylbenzene Mercury Isodrin Toluene Methyllsobutyl Ketom Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha		5		-01	a/an	AA0008
Ethylbenzene Mercury Isodrin Toluene Methyllsobutyl Ketom Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha	Francis		۳,	-01	na/a.	AANDD6
Mercury Isodrin Toluene Methylisobutyl Ketom Malathion 1,4-0xathiane Lead Dichlorodiphenyletha Dichlorodiphenyletho	TTDV1henzene			-01	o/on	AA0008
Isodrin Toluene Methylisobutyl Keton Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha Dichlorodiphenyltric	Mercury	LT		0 -02	6/6n	AAI017
Toluene Toluene Methylisobutyl Ketor Malethion 1,4-Oxathiene Lead Dichlorodiphenylethe	10001		ю	-01	0/0/	AANDO6
Methylisobutyl Keton Malethion 1,4-Oxathiane Lead Dichlorodiphenyletha Dichlorodiphenyletha		-		5	110/0	AAOOOB
Malathion 1,4-Oxathiane Lead Dichlorodiphenyletha	Toluene Material Material	- L		ָּלְילָ ק	0/00	AAOOOB
1,4-Oxathiane Lead Dichlorodiphenyletha	Methylisoburyi Netone	- 1-		ָּבְּיבָּיבְּיבָּיבְיבָּיבְיבָּיבְיבָּיבְיבָּיבְיבָּיבְיבָיבְיבָיבְיבָיבְיבָיבְיבָ	0/00	AANOOS
1,4-Oxacilane Lead Dichlorodiphenyletha Dichlorodiphenyltric		; -		ָבָּ ק		AANOO6
Lead Dichlorodiphenyletha Dichlorodiphenyltric	1,4-UXBtnlane			-		
Dichlorodiphenylethar Dichlorodiphenyltric	Lead	LT				ABD014
Dichlorodiphenyltric	Dichlorodiphenylethane	LT	3.	-01	o/on	AANOO6
	Dichlorodiphenyltrichloro-	-o-	1 6.	-01	6/6n	AANOO6
ethane	ethane					

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

. . .

4. -

Depth

Boring Number 4-5

0003

0-1

0004

ak Farm	
South Tank	
Sol	
1-10	
, Site	
Task 2	
t s	

Sample Type	Analytical Parameters	8	Results	Units	Sample
	Parathion 2-Chlonoll(2,4-Dichlorophenyl)	11	401 301	ø/øn	AANOO6, AANOO6
	Vinyidietnyi Fnosbhates Trens-1, 2-Dichloroethene Tetrachloroethene		301	0/07	AA0008
	Trichloroethene	- 1	301	e/en	AA0008
	Ortho- & Para-Xylene	LT		e/en	AAOOOB
	Zinc		3,3 +01	ø/øn	ABD014
	Aldrin	Ľ	301	0/00	ABS002
	Arsenic	ר	0	ø/øn	AAMOO9
	Atrezine			o/on	ABS002
	Cadmium	<u> </u>	4	6/6n	ABE009
	Hexachlorocyclopentadiene		301	6/6n	ABS002
	Chlordene	-1	601	e/en	ABS002
	p-Chlorophenylmethyl Sulfide	LT	4. +00	na/a	ABS002
	p-Chlorophenylmethyl Sulfoxide	L		6/6n	ABS002
	p-Chlorophenylmethyl Sulfone	Ļ		ø/øn	AB S002
	Chromium	Ľ	6.5 +00	6/en	ABE009
	Coppe		8.6 +00	0/00	ABE009
	Dibromochloropropane	٢٦	301	0/00	ABS002
	Dicyclopentadiene	L		6/en	AB S002
	Vapona	-		a/an	ABS002
	Diisopropylmethyl Phosphonate	L	301	ø/øn	ABS002
	Dithiane	LT	7. +00	0/0n	ABS002
	Dieldrin			a/an	ABS002
	Endrin	1	301	o/on	ABS002
	Mercury	1	0	na/a	AAL005
	Isodrin	Ļ	301	ø/øn	ABS002
	Malathion	-1	301	e/en	ABS002
	1.4-Oxathiane	٢٦	6. +00	ø/øn	ABS002
	Lead		_	6/6n	ABE009
	Dichlorodiphenylethane	-1		ø/øn	ABS002
	Dichlorodiphenyltrichloro-	LT	601	ø/øn	ABS002
	ethane				

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Ser	Ebasco Services Incorpora	orated	Rocky Mountain Arsenal Program	gram		12/19/8
Summary of	Summary of Analytical Re	Results	Task 2 , Site 1-10 South	South Tank Farm		
Boring	Depth (ft)	Sample Type	Analytical Parameters	Results	Units	Sample Number
0004	0-1	Soil	Perathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	LT 401 LT 301 3.8 +01	6/6n 6/6n 6/6n	ABSOO2 ABSOO2 ABEOO9
0004	6-5	Soil	1,1.1-Trichloroethane 1,1.2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	LT 301 LT 301 LT 901 LT 301 LT 701	0/0n 0/0n 0/0n	ABOOD3 ABOOD3 ABOOD3 ABOOD3
			Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	LT 3. +00 LT 5.0 +00 LT 3. +00 LT 301 LT 301	0/0n 0/0n 0/0n	ABS003 AAW010 ABS003 ABO003 ABO003
		·	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	LT 301 LT 7.4 -01 LT 701 LT 301 LT 3. +00	0/0n 0/0n 0/0n 0/0n 0/0n	. ABOOO3 ABEO10 ABOOO3 ABOOO3 ABOOO3
			Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone	LT 301 LT 6. +00 LT 4. +01 LT 7. +01 LT 6. +00	0/0n 0/0n 0/0n	AB0003 ABS003 ABS003 ABS003
			Chromium Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene	1.5 +01 1.3 +01 LT 401 LT 3. +00 2. +02	0/00 0/00 0/00 0/00 0/00 0/00	ABE010 ABE010 AB0003 ABS003 ABS003
			Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin	1. +02 LT 3. +00 LT 3. +00 LT 7. +01 LT 3. +00	0 00/00 0 00/00 0 00/00 0 00/00	ABS003 ABS003 ABS003 ABS003 ABS003

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results

Task 2 , Site 1-10

Form
Tark
South

Sample Number	AB0003* ABS003 AB0003 AAL006 ABS003	AB0003 AB0003 ABS003 ABS003 ABE010	ABSOU3 ABSOU3 ABSOU3 ABSOU3	ABOOO3 ABOOO3 ABOOO3 ABEO10	ABS004 ABK006 ABS004 ABG006 ABS006	ABS004 ABS004 ABS004 ABS004 ABG006	ABG006 ABS004 ABS004
Units	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0/0n 0/0n 0/0n	0/0n 0/0n 0/0n	6/6n 6/6n 6/6n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0/0n 0/0n 0/0n	0/00
6	-01 +00 -01 -02 +00	1000 1000 1000 1000 1000 1000 1000 100	+00 +00 +00 +00 -01	0 1 1 0 1 0 1	-01 -01 -01	-01 -01 -01 -01	0 i 0 i 0 i 0 i 0 i 0 i 0 i 0 i 0 i 0 i
Results		4.	ที่จัดที่ที่ ค่		3.0 3.7 4.4	6. 1.2	4. w
ж е		נונונ	4 44 44.	נננ	נונונ	ונונ	בו
Analytical Parameters	Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin	Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene	Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordene p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dicyclopentadiene
Sample	Soil				Soil		
Depth (ft)	4- تن				0-1		
Boring	0004				0005		

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated	ated sults	Rocky Mountain Arsenal Program	l Program South Tank Farm		12/19
Depth (ft)	Sample	Analytical Parameters	Results	Units	Sample Number
0-1	Soil	Vapone Diisopropylmethyl Phosphonate Dithiane Dieldrin	LT 301 LT 301 LT 7. +00 LT 301 LT 301	0/0n 0/0n 0/0n	ABS004 ABS004 ABS004 ABS004 ABS0004
		Mercury Isodrin Malathion 1,4~Oxathiane Lead	LT 5.0 -02 LT 301 LT 301 LT 6. +00 1.3 +01	0/0n 0/0n 0/0n	ABJ006 ABS004 ABS004 ABS004 ABS006
		Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	LT 301 LT 601 LT 401 LT 301 4.4 +01	0/0n 0/0n 0/0n	ABS004 ABS004 ABS004 ABS004
4 - 5	5011	 1,1,1-Trichloroethane 1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene 	LT 301 LT 301 LT 901 LT 301 LT 701	0/0n 0/0n 0/0n	AB0004 AB0004 AB0004 AB0004 AB0004
		Aldrin Arsenic Atrazine Bioyoloheptadiene Benzene	LT 301 LT 5.0 +00 LT 301 LT 301 LT 301	00000	ABS005 ABK007 ABS005 ABO004 ABO004
		Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	LT 301 LT 7.4 -01 LT 701 LT 301 LT 301	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ABC004 ABC007 ABC004 ABC004 ABC005
		Chlorobenzene	LT 301	6/6n	AB0004

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

14

.....

0005

Boring Number

1							
Semple Number	ABS005, ABS005 ABS005 ABS005 ABS005	ABG007 AB0004 AB0005 AB0004 ABS005	ABS005 ABS005 ABS005 ABS005 ABS006	ABS005 AB0004 ABJ007 ABS005 AB0004	ABS005 ABS005 ABS005 ABS007 ABS005	ABS005 ABS006 ABO004 ABO004 ABO004)
Units	0/0n 0/0n 0/0n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			À
	-01 +00 +00 -01 +01	+01 -01 -01	-01 -01 -01 -01	-01 -01 -01 -01	101 101 101 101 101	10 00 00	1
Results	6. 7. 6.	1.4 w w 4	8 47 44			વેલું લેલું લેલુ	;
م	ננננ	וווו	ווווו	ללללל	ל ל ללל	בל לל לל	_
Analytical Parameters	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene	Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide	Endrin Ethylbenzene Mercury Isodrin Toluene	Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane	ethene Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene	סומיזארים:מסר אסOutro
Sample	Soil						
Depth (ft)	4-5						

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated

	Sample	ABG007	ABOOO5 ABOOO5 ABOOO5 ABOOO5	ABKG08	AB0005 AB0005 AB0005	ABGOO8	AB0005	AB0005	ABGOOS	ABG008	AB0005	AB0005	AB0005	ABUUUS	ABJUUS	AB0005	AB0005	ABOUGE	ABOOUS		AB0005	AB0005	Ageona	ABSOO7	ABS007	AB 6009
	Units	o/on	0/0n 0/0n	0/0/ 0/0/ 0/0/	0 0 0 0 0 0 0 0 0 0 0	o/on	0/00	0/0/0	no/on	o/on	6/6n	ø/øn	o/on	o/on	o/6n	o/on	6/6n	0/00	0 0		ø/øn	0/00	p / p n	0/0n	o/on	6/6n
South Lank Farm	Results U	8.1 +01	LT 301 LT 301 LT 901 LT 301	5.0		4		17 301	1.2	1.3 +01	LT 401	7		'n	LT 5.0 -02	ĸ	'n	4.4	LT 301	ċ	ю.		8.8 +01		L 3.0 +00 1 301	7.4
Task 2 , Site 1-10	Analytical Perameters	Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane	m-Xylene Arsenic	Bicycloheptadiene Benzene	Carbon ferracitoriae Cadmium	Methylene Chloride	Chloroform	Chlorobenzene	Copper		Dibromochioropropale	Dicyclobentations Dimethyldisulfide	Fthylbenzene	Mercury		Methylisobutyl Ketone	Lend	Trans-1,2-Dichloroethene	Tetrachloroethene		Ortho- & Para-Xylene	Zinc	Aldrin	Arsenic	Atrazine Cadmium
Results	Sample Type	Soil	Soil																					Soil		
	Depth (ft)	4-5	5-5.1																						1	
Summery of Analytical	Boring Number	0005	5000																					7000		

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Sample	ABSOO7 ABSOO7 ABSOO7 ABSOO7 ABSOO7	ABG009 ABG009 ABS007 ABS007 ABS007	ABS007 ABS007 ABS007 ABS007 ABJ009	ABS007 ABS007 ABS007 ABS007 ABS007 ABS007 ABS007	ABOOO7 ABOOO7 ABOOO7 ABOOO7 ABSOO9 ABSOO9
Units	0/0n 0/0n 0/0n	0/00 0/00 00 00 00	0/0n 0/0n 0/0n	00000 0 000 00000 0 000 00000 0 000	00000 000
Results	301 601 7. +00 601	1.5 +01 1.1 +01 301 401	301 7. +00 301 301 5.0 -02	301 301 5. +00 1.4 +01 301 601 401 4.2 +01	301 301 301 701 301
Resu		ררר		155 5 5 55	ברר בנינר
Analytical Parameters	Hexachlorocyclopentadiene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone	Chromium Copper Dibromochloropropane Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury	Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Perathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic
Sample	Soil				5011
Depth (ft)	0-1				6. 6. 8.
Boring	9000				9000

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated

Depth (ft)

Number Boring

3.6-3.8

9000

AB0007 **ABS009 ABG011 ABS009** ABS009 **ABS009 ABS009 ABS009 AB**S009 ABS009 AB0007 ABJ011 ABS009 AB0007 **ABS009** AB0007 **ABS009 ABS009 AB0007 ABS009** ABS009 AB0007 AB0007 **ABS009** ABS009 ABS009 ABG011 ABG011 Number AB0007 **AB0007** AB0007 Sample AB0007 AB0007 ABG011 0/00 00/00 00/00 6/6n 0/00 0/6n ø/øn ø/øn 0/00 o/on 6/6n o/on ma/a ma/an o/on e/en 6/6n o/on e/en e/en 6/en o/on 6/6n o/on 6/6n ma/a o/on o/on 6/6n 0/00 o/on e/en no/on o/on Units 99 -01 -01 -01 -01 -01 +00 -01 무 <u>-</u>0 -01 -02 -01 -01 -01 -01 -01 -01 -01 +01 00+ 90+ -01 -01 -01 -01 -01 -01 -01 +01 -01 -01 5.0 8.4 Results 5.5 South Tank Farm 7.4 æ コニュ 11 ------۲ 11 111 ----p-Chlorophenylmethyl Sulfoxide Diisopropylmethyl Phosphonate p-Chlorophenylmethyl Sulfone p-Chlorophenylmethyl Sulfide Dichlorodiphenylethane Dichlorodiphenyltrichloro-**Hexachlorocyclopentadiene** Analytical Parameters Methylisobutyl Ketone Dibromochloropropane Dibromochloropropane Carbon Tetrachloride , Site 1-10 Methylene Chloride Dicyclopentadiene Dimethyldisulfide Dicyclopentadiene Bicycloheptadiene 1,4-Oxathiane Chlorobenzene Ethy 1benzene Chloroform Malathion Chlordane Chromium Dieldrin Dithiane ethane Isodrin Toluene Mercury Cadmium Benzene Endrin Vapona Ø Copper peed Sample Type Soil Summary of Analytical Results

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

· "**"**

Task 2 , Site 1-10

South Tank Farm

Summary of Analytical Results

Depth (ft)

Boring Number 3.6-3.8

9000

4-5

9000

Ebasco Services Incorporated

Sample Type	Analytical Parameters	œ e	Results	Units	ا د ا ه	Sample Number
Soil	Parathion 2-Chloro-1(2,4-Dichlorophenyl)	רן	401 301	o/on 1	00	ABS009. ABS009
	Vinyldiethyl Phosphates Trans-1,2-Dichloroethene	5	-	_	o/on	AB0007
	Tetrachloroethene	۲	301	_	e/en	AB0007
	Trichloroethene	L1	301		o/on	AB0007
	Ortto: 8 Dere-XX1ero	1	301		na/a	AB0007
			4.8 +01		na/a	AB 6011
Soft	1.1.1-Trichloroethane	L			a/an	AB0006
· · · · · · · · · · · · · · · · · · ·	1,1,2-Trichloroethane	L		_	e/en	AB0006
	1,1-Dichloroethane	⊢ ⊦	9. 		0/07 0/07	ABOUUS ABOUUS
	1,Z-Dichiorocchare m-Xylene	<u>,</u>			o/on	AB0006
		-	301		ø/øn	ABSOO8
	Aldrill Angento		0		o/on	ABK010
	At sold to	<u> </u>			na/a	ABS008
	Att az ite Bickelohentadiene	1			o/on	AB0006
	Benzene	1	301		o/on	AB0006
		-	K.		, ia/a	AB0006
	Carbon letrachioride	; -	٠		p/p/1	ABG010
	COMMITTEE CT. CT. CT. CT.) <u> </u>			na/a	AB0006
	Chloroform	ר' ו			0/00	AB0006
	Hexachlorocyclopentadiene	L	301		0/on	ABSOO8
		LT	301	_	na/a	AB0006
		ב	601	_	ø/øn	ABS008
	p-Chlorophenylmethyl Sulfide	۲	4. +00		a/an	ABS008
		-1	7. +00		0/00	ABSOO8
		L	601		o/on	ABS008
	Chromium			_	a/an	ABG010
	Copper		^	_	ø/øn	ABG010
	Dibromochloropropane	<u>_</u> _	401		0/0n	ABOOUS
	Dibromochloropropane Dicyclopentadiene	آ آ			0/00	AB0006

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Ser	Ebasco Services Incorporated	ated	Rocky Mountain Arsenal Program	Sqr gm		12/19/8
Summary of	Summary of Analytical Re	Results	Task 2 , Site 1-10 South	South Tank Farm		
Boring Number	Depth (ft)	Sample Type	Analytical Parameters	Results	Units	Sample Number
9000	4 - 5	Soil	Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin	LT 401 LT 301 LT 301 LT 7. +00 LT 301	0/0n 0/0n 0/0n	ABS008 ABS008 ABS008 ABS008 ABS008
			Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin	LT 801 LT 301 LT 301 LT 5.0 -02 LT 301	0/07 0/07 07 07 07 07 07	AB0006 ABS008 AB0006 ABJ010 ABS008
			Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead	LT 301 LT 301 LT 301 LT 6. +00 LT 8.4 +00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AB0006 AB0006 ABS008 ABS008 ABG010
			Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene	LT 301 LT 601 LT 401 LT 301	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ABS008 ABS008 ABS008 ABS008
			Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	LT 301 LT 301 LT 301 4.6 +01	0/00 00/00 00/00	AB0006 AB0006 AB0006 ABG010
2000	0-1	Soil	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	LT 301 LT 5.0 +00 LT 301 LT 7.4 -01 LT 301	0/0n 0/0n 0/0n	ABZ004 AAW015 ABZ004 ABE015 ABZ004
			Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide	LT 601 LT 4. +00 LT 7. +00	0/6n 0/6n 0/6n	AB2004 AB2004 AB2004

Note: Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions.

Task 2 , Site 1-10

South Tank Farm

Sample	ABZ004 ABE015 ABE015 ABZ004 ABZ004 ABZ004 ABZ004	ABZ004 ABZ004 AAL011 ABZ004 ABZ004 ABZ004 ABZ004	ABZ004 ABZ004 ABZ004 ABZ004 ABE015	ABR003 ABR003 ABR003 ABR003 ABR003	AAWO16 ABZOO5 ABROO3 ABROO3
Units		00/0000	0/0n 0/0n 0/0n	.00000 0 /00000 0	000000
Results	LT 601 8.4 +00 6.7 +00 LT 301 LT 301 LT 301	ည်း ကြည်းကို ရောက်	LT 301 LT 601 LT 301 3.8 +01	LT 301 LT 301 LT 901 LT 701 LT 301	
Analytical Parameters	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dieldrin Endrin Mercury Isodrin Malethion 1,4-0xathiane Lead	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	Arsenic Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride
Sample	Soil			Soil	
Depth (ft)	0-1				
Boring	2000			2000	

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 2 , Site 1-10

Summary of Analytical Results

Depth (ft)

Boring Number

4-5

2000

Ebasco Services Incorporated

Farm	
Tank	
South	
•	

Sample Type	Analytical Parameters	Res	Results		Units	Sample
Soil	Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene	, , , , , , , , , , , , , , , , , , ,	4	-01 -01 -01	0/0n 0/0n 0/0n	ABEO16 ABROO3 ABROO3 ABZOO5 ABROO3
	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	ל ל ל ל ל	6. 7. 9.0	-01 +00 +00 -01 +00	0/0n 0/0n 0/0n	AB2005 AB2005 AB2005 AB2005 ABE016
	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene	LT LT LT	0.4 W W 4	+00 -01 -01	0/0n 0/0n 0/0n	ABEO16 ABROO3 ABZOO5 ABROO3 ABROO3
	Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	84744	-01 -01 -01	00000	ABZ005 ABZ005 ABZ005 ABZ005 ABZ005
	Endrin Ethylbenzene Mercury Isodrin Toluene	ול הל	က် မှ မှ မှ ဂ	-01 -02 -02 -01	0/0n 0/0n 0/0n	ABZ005 ABR003 AAL012 ABZ005 ABR003
	Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane	רו ווי		-01 -01 +00 +00	0/00 0/00 0/00 0/00 0/00	ABROO3 ABZOO5 ABZOO5 ABEO16 ABZOO5
	Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	LT LT	. 4 k	-01 -01	6/6n 6/6n	ABZ005 ABZ005 ABZ005

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

2000

Sample	ABROO3 ABROO3 ABROO3 ABROO3	ABZ008 AAW019 ABZ008 ABE019 ABZ008	ABZ008 ABZ008 ABZ008 ABZ008 ABE019	ABE019 ABZ008 ABZ008 ABZ008 ABZ008	ABZ008 ABZ008 ABZ008 AAL015 ABZ008	ABZ008 ABZ008 ABE019 ABZ008 ABZ008	AB2008 AB2008
Units	0 0 0 0 0 0 0 0 0 0 0 0 0	00000	0/0n 0/0n 0/0n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0/00 0/00 0/00 0/00	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n
Results	LT 301 LT 301 LT 301 LT 301		LT 601 LT 4. +00 LT 7. +00 LT 601 8.9 +00	8.1 +00 LT 301 LT 401 LT 301 LT 301	LT 7. +00 LT 301 LT 301 LT 5.0 -02 LT 301	LT 301 LT 6. +00 LT 301 LT 301 LT 601	LT 401 LT 301
Anglytical Parameters	Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiane Dieldrin Endrin Mercury	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Perathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates
Sample Type	Soil	Soil					
Depth (ft)	4-5	0-1					

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated

	Sample Number	ABE019	ABROOS	ABR005	ABR005	ABR005	ABROOS	0000	A A LIDO	ARZ009	ABRODS	ABR005		ABROOS	ABEDZO	ABROUS	ABRUGO COULT	ABZOOS	ABROOS	AB2009	AB2009	AB2009	ABZ009		ABEUZU	, AUCUEO	00000W	ARROUS		AB2009	AB2009	AB2009	AB2009	AB2009	ABROOS	AB2009	
	Units	o/sn	0/00	6/6n	o/on	ø/øn	e/en	, , ,	0/0n) () (C	0/01	3	o/on	0/0n	p/on	0 / 0 0	6/6n	0/00	0/00	0/00	00/00	6/6n	•	0/07	0 / 0	0 / 0 / 0	0/00		0/07	0/00	0/6n	0/00	o/on	מ/מ	o/on	
		+01	-01	-01	-01	-01	-01	i	ָ בְּיִלְ בְּיִלְ	00.00	7 6	֓֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	4	-01	-01	-01	-01	-01	5	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓		00+	-01				- - -	-01	10-	Ę	-01	-01	9	-01	ç	-01	
10 10 11	Results	3.8	'n		6					5	, ,		;	₽.	7.4	7.	М.	₩,	*	; «	• •		•		6.5			m I			i M			ь, М			
Tank	R. S.		-	-	<u>ן</u>	. -	בֿו		ا ــا	<u>ا</u> ا	ا ــا . لــ		Ī	ן,	-		_	L'	-	- F		- H	<u>ר</u> נ		L		_	֖֡֡֝֝֡ <u>֚</u>	-	-	- H		<u>.</u>		-	ב' ב	
Task 2 , Site 1-10 South Tank Farm	Analytical Parameters	7 90		1,1,1-Trichloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	m~Xy terie	Aldrin	Arsento	Atrazine	Bicycloheptadiene	Benzene		Carbon letracito tos	Codmitte Anthriban Chioride		Chlorotorm Hexachlorocyclopentadiene		Chlorobenzene		p-Chlorophenylmethyl Sulfide	p-Chlorophenylmethyl Sulfore p-Chlorophenylmethyl Sulfore		E		Distribution opposite	nibromochloropropane	Dicyclopentadiene		Dicyclopentadiene	Vapona	Diisopropylmethyl Phosphonate	Dithiane Dieldrin		Dimethyldisulfide Endrin	
Results	Sample Type	1	1100	Soil																																	
Summary of Analytical Resu	Depth (ft)		01	4-5									•																								
Summary o	Boring		0008	8000																																	

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions.

24

0
₹
1
-
•
Ţ
ഗ
•
•
N
¥
0
ask
~
_

Ε
Ē
ñ
ũ
۳.
¥
_
Ō
Ë
•
_
_
Ţ
⋾
0
8
• /

Farm
Tank
South

Sample Number	ABROOS, AALO16 ABZOO9 ABROO5 ABROO5	AB2009 AB2009 ABE020 AB2009 AB2009	ABZ009 ABZ009 ABR005 ABR005 ABR005 ABR005	ABZ010 AAX005 ABZ010 ABF005 ABZ010	ABZ010 ABZ010 ABZ010 ABZ010 ABZ010	ABF005 ABZ010 ABZ010 ABZ010 ABZ010
Units	00000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		00000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0/00 0/00 0/00 000
Results	LT 301 LT 301 LT 301 LT 301 LT 301	LT 301 LT 6. +00 LT 8.4 +00 LT 301 LT 601	LT 4. CT 301 CT 301 CT 301 CT 301 CT 301	0 4	LT 601 LT 4. +00 LT 7. +00 LT 601 9.7 +00	7.8 +00 LT 301 LT 401 LT 301 LT 301
Analytical Parameters	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dicyclopentadiene Vapona Dilsopropylmethyl Phosphonate
Sample	Soil			Soil		
Depth (ft)	5-7			0-1		
Boring Number	0008			6000		

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task Summary of Analytical Results

Ebasco Services Incorporated

Boring Number

6000

_
10
+
4
بد
5
0)
•
0
¥

F Ann	
Tank	
2	:
2017)

Sample	ABZ010 ABZ010 ABZ010 AAL017 ABZ010	ABZ010 ABZ010 ABF005 ABZ010 ABZ010	ABZ010 ABZ010 ABF005	ABROO6 ABROO6 ABROO6 ABROO6 ABROO6	ABZ011 AAX006 ABZ011 ABR006 ABR006	ABROO6 ABROO6 ABROO6 ABROO6 ABROO6	ABROO6 ABZO11 ABZO11 ABZO11
Units	0/00 0/00 0/00 0/00	6/6n 6/6n 6/6n	6/6n 6/6n	00/00	0/00 0/00 0/00 0/00	0/0n 0/0n 0/0n	6/6n 6/6n 6/6n
lts	7. +00 301 301 5.0 -02	301 6. +00 8.4 +00 301	401 301 3.1 +01	301 901 701	301 5.0 +00 301 301	301 7.4 -01 701 301	301 601 4. +00 7. +00
Results		LT 8 LT 8 LT 8 LT 8 LT 8 LT 8 LT 3	LT 3	 דביביב		ברברב	ונו ונו
Analytical Parameters	Dithiane Dieldrin Endrin Mercury Isodrin	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide
Sample	Soil			Soil			
Depth (ft)	0-1			4-5			

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 2 , Site 1-10

South Tank Farm

این	નિજ્જન જ્યાનામ મજીમજેલ મજેજ્યામ જ્યાન માને જેજજેજ	8
Sample Number	ABZ011 ABF006 ABF006 ABF011 ABR006 ABZ011	ABZ006
Units		ø/øn
Results	6.5 - 601 6.5 - 601 6.5 - 601 6.5 - 601 6.5 - 601 6.6 - 601 6.7 - 601 6.8 - 601 6.9 - 601 6.0 - 601 6.0 - 601 6.0 - 601	301
R.		LT
Analytical Parameters	p-chlorophenyimethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona Dicyclopentadiene Vapona Disopropylmethyl Phosphonate Dicyclopentadiene Vapona Disopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone Methylisobutyl Ketone Methylisobutyl Ketone Methylisobutyl Ketone Methylisobutyl Phosphates I.4-Oxathiane Lead Dichlorodiphenyltrichloroethene Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Trichloroethene Ortho- & Para-Xylene Zinc	Aldrin
Sample	8011	5011
Depth (ft)	\$ - 4	0-1
Boring Number	6000	0010

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated

	Sample Number	AAW017 ABZ006 ABC017 ABZ006 ABZ006 ABZ006 ABZ006	ABZ006 ABE017 ABE017 ABZ006 ABZ006 ABZ006 ABZ006 ABZ006	ABZUUS ABZUUS AALO13 , ABZUUS ABZUUS ABEO17 ABEO17 ABZUUS	AB2006 AB2006 ABE017	ABROO4 ABROO4 ABROO4 ABROO4 ABROO4
	Units	00000 00 00000 00 00000 00	0/0n 0/0n 0/0n 0/0n 0/0n		0/0n 0/0n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Tank Farm	Results	LT 5.0 +00 LT 301 LT 301 LT 301 LT 601 LT 6. +00		LT 301 LT 5.0 -02 LT 301 LT 301 LT 6. +00 LT 3. +00 LT 301	LT 401 LT 301 4.5 +01	LT 301 LT 301 LT 901 LT 301 LT 701
Task 2 , Site 1-10 South Tank	Analytical Parameters	Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlordane p-Chlorophenylmethyl Sulfide	p-Chlorophenylmethyl Sulfore p-Chlorophenylmethyl Sulfore Chromium Copper Dibromochloropropane Dicyclopentadiene Vapona Ditsopropylmethyl Phosphonate Dithlane	Dieldrin Endrin Mercury Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro-	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene
Results	Sample	So11				Soil
	Depth (ft)	0-1				4 3
Summary of Analytical	Boring	0010				0010

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

...

:

Boring Number

Sample	AB2007 AAW018 AB2007 ABRO04 ABRO04	ABRO04 ABE018 ABRO04 ABRO04 ABRO04	ABR004 ABZ007 ABZ007 ABZ007 ABZ007	ABE018 ABE018 ABRO04 ABZO07 ABRO04^	ABZ007 ABZ007 ABZ007 ABZ007 ABZ007	ABR004 ABZ007 ABR004 AAL014 ABZ007	ABR004 ABR004 ABZ007 ABZ007
Units	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6/6n 6/6n 6/6n	0/0n 0/0n 0/0n	00/00/00/00/00/00/00/00/00/00/00/00/00/	00000	6/6n 6/6n 6/6n
Results	LT 301 LT 5.0 +00 LT 301 LT 301 LT 301	LT 301 LT 7.4 -01 LT 701 LT 301 LT 301	LT 301 LT 601 LT 7. +00 LT 7. +00 LT 601	LT 6.5 +00 2.3 +01 LT 401 LT 301 LT 301	LT 401 LT 301 LT 301 LT 7. +00 LT 301	LT 801 LT 301 LT 301 LT 5.0 -02 LT 301	LT 301 LT 301 LT 301 LT 6. +00
Analytical Parameters	Aldrin Arsenic Atrazine Bicycloheptadlene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone	Chromium Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene	Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin	Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin	Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane
Sample Type	Soil						
Depth (ft)	4-5						

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated

	Sample	ABE018 ABZ007 ABZ007 ABZ007 ABZ007	ABROO4 ABROO4 ABROO4 ABROO4 ABEO18	ABS010 AAW011 ABS010 ABE011 ABS010	ABS010 ABS010 ABS010 ABS010 ABE011	ABE011 ABS010 ABS010 ABS010 ABS010	ABS010 ABS010 ABS010 AAL007 ABS010
	Units	0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 /	0/0n 0/0n 0/0n	0/00 0/00 0/00 00 00	0/00 0/00 0/00 0/00 0/00	0/0n 0/0n 0/0n	6/6n 6/6n 6/6n 6/6n
South Tank Farm	Results	LT 8.4 +00 LT 301 LT 601 LT 401 LT 301	LT 301 LT 301 LT 301 LT 301 6.0 +01	LT 301 LT 5.0 +00 LT 301 LT 7.4 -01 LT 301	LT 601 LT 4. +00 LT 7. +00 LT 601 1.2 +01	8.5 +00 LT 301 LT 401 LT 301 LT 301	LT 7. +00 LT 301 LT 301 LT 5.0 -02 LT 301
Task 2 , Site 1-10 Sout	Analytical Parameters	Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordene p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiene Dieldrin Endrin Mercury Isodrin Malathion
Results	Sample Type	8011		5011			
Summery of Analytical Re	Depth (ft)	4 - 5		0-1			
Summery of	Boring Number	0010		0011			

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

meningha saige ng palabanaman manan mang mang mang mang mang ma	Sample Number	ABS010 ABE011 ABS010 ABS010	ABS010 ABS010 ABE011	AB0008 AB0008 AB0008 AB0008 AB0008	ABSO11 ABW012 ABSO11 ABOOO8 ABOOO8	ABOOO8 ABEO12 ABOOO8 ABOOO8 ABSO11	ABOOO8 ABSO11 ABSO11 ABSO11	ABE012 ABE012 AB0008 ABS011 AB0008
	Units	0/0n 0/0n 0/0n	0/6n 0/6n	0/0n 0/0n 0/0n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0/0n 0/0n 0/0n
South Tank Farm	Results	LT 6. +00 1.4 +01 LT 301 LT 601	LT 401 LT 301 5.0 +01	LT 301 LT 301 LT 301 LT 301	LT 301 LT 5.0 +00 LT 301 LT 301 LT 301	LT 301 LT 7.4 -01 LT 701 LT 301 LT 301	LT 301 LT 601 LT 4. +00 LT 7. +00 LT 601	1.0 +01 6.7 +00 LT 401 LT 301 LT 301
Task 2 , Site 1-10 South	Analytical Parameters	1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro-	ethane Parethion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone	Chromium Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene
Results	Sample Type	So11		Sofl				
Summary of Analytical Re	Depth (ft)	0-1		4-5				
Summary of	Boring	0011		0011				

Note: Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions.

Ebasco Services Incorporated

Farm
Tenk
South

C
iL.
¥
₹
g
=
•
~
∓
Sout
ాగ
ñ
•

	Sample	ABSO11 ABSO11 ABSO11 ABSO11 ABSO11	ABOOO8 ABSO11 ABOOO8 AALOO8 ABSO11	ABOOO8 ABOOO8 ABSO11 ABSO11	ABSO11 ABSO11 ABSO11 ABSO108	ABOOO8 ABOOO8 ABOOO8 ABEO12 ABZOO2 AAWO13 ABZOO2 ABEO13	ABZ002 ABZ002 ABZ002
	Units	0/0n 0/0n 0/0n	6/6n 6/6n 6/6n	0/6n 0/6n 0/6n	0/0n 0/0n 0/0n 0/0n	000000000000000000000000000000000000000	6/6n 6/6n
_	1	-01 -01 -01 -01	-01 -01 -01	-01 -01 +00 +00	-01 -01 -01 -01	-01 -01 4 +01 -01 0 +00 -01 -01	
k Farn	Results	LT 4. LT 3. LT 3. LT 7.	LT 8. LT 3. LT 5.0 LT 5.0	LT 3. LT 3. LT 3. LT 6.	LT 3. LT 6. LT 3. LT 3.	LT 3. LT 3. LT 3. LT 3.0 LT 3.0 LT 3.0	
Task 2 , Site 1-10 South Tank Farm	Analytical Parameters	Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin	Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin	Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene	Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc Aldrin Arsenic Atrazine Cadmium	Hexachlorocyclopentations Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide
Results	Sample	Soil				Soi1	
Summary of Analytical Re	Depth (ft)	4-5				0-1	
Summary o	Boring Number	0011				0012	

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Farm	
Tank	
South	

Borina	Depth (ft)	Sample	Analytical Parameters	Results	Units	Sample
0012	0-1	Soil	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dicyclopentadiene	LT 601 1.5 +01 8.0 +00 LT 301 LT 401	0/00 0/00 0/00 0/00	ABZ002 ABE013 ABE013 ABZ002 ABZ002
			Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin	LT 301 LT 7. +00 LT 301 LT 301	0 0 0 0 0	ABZ002 ABZ002 ABZ002 ABZ002 ABZ002
			Mercury Isodrin Malathion 1,4-Oxathiane Lead	LT 5.0 -02 LT 301 LT 301 LT 6. +00 1.3 +01	00000	AAL009 ABZ002 ABZ002 ABZ002 ABE013
			Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	LT 301 LT 601 LT 301 3.4 +01	0/0n 0/0n 0/0n	ABZ002 ABZ002 ABZ002 ABZ002
0012	4-5	5011	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	LT 301 LT 301 LT 901 LT 301 LT 701	0/00	ABROO2 ABROO2 ABROO2 ABROO2 ABROO2
			Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	LT 301 LT 5.0 +00 LT 301 LT 301 LT 301	0/000	ABZ003 AAW014 ABZ003 ABR002 ABR002
			Carbon Tetrachloride	LT 301	o/on	ABR002

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

34

Summary of Analytical Results Ebasco Services Incorporated

Sample Type

Depth (ft)

Boring Number

Soil

4-5

٧,
0
10
1
Ţ
•
ٽ
=
S
~
(•
ask
G)
Ø
F
•

=
ŧ
듄
w
LL.
_
¥
₹
'n
€0
_
-
~
_
-
7
Sol
·
ഗ

er.m
Ø
Ų.
Tank
7
نډ
3
Sou
Ś

Cadmium Methylae Chloride Chlorobenzene Chl	Analytical Parameters	ě	Results		Units	Sample Number
Chloride Chioride Chiori	THE REAL PROPERTY AND ADDRESS OF THE PROPERTY					
Chloride Chioride Cyclopentadiene Cyc	Cadmium		7.4	-01	0/00	ABEUIG
cyclopentadiene cyclopentadiene LT 301 ua/a Alene LT 301 ua/a Alene LT 501 ua/a Alenylmethyl Sulfide LT 601 ua/a Alenylmethyl Sulfone LT 601 ua/a Alenylmethyl Sulfone LT 601 ua/a Alenylmethyl Sulfone LT 7. +00 ua/a Alenylmethyl Sulfone LT 7. +00 ua/a Alenylmethyl Sulfone LT 301 ua/a Alenylmethyl Phosphonate LT 301 ua/a Alenylmethyl Phosphates LT 301 ua/a Alenylmethyl Elenylmethyl Elenylmeth	9	ב	۲.	-01	ø/øn	ABR002
cyclopentadiene LT 301 uo/o A ene entimethy! Sulfide LT 601 uo/o A enylmethy! Sulfoxide LT 7. +00 uo/o A enylmethy! Sulfoxide LT 7. +00 uo/o A enylmethy! Sulfoxide LT 601 uo/o A coropropane LT 601 uo/o A taddiene LT 301 uo/o A taddiene LT 301 uo/o A LT 301 uo/o LT 401 uo/o LT 501 uo/	Chloroform	ב	M	-01	na/a	ABR002
Ide			۲,	-01	o/on	AB2003
LT 601 ug/g A		<u> </u>	8	-01	0/00	ABR002
henylmethyl Sulfide						
henylmethy! Sulfide LT 4. +00	Chlorogene	ב	۰,	-01	0/00	ABZ003
Sulfoxide LT 7. +00 ug/g A Sulfone LT 601 ug/g A LT 7. +00 ug/g A LT 7. +00 ug/g A LT 301 ug/g LT 401 ug/g Inrophenyl) LT 401 ug/g Inrophenyl) LT 301 ug/g LT 401 ug/g Inrophenyl) LT 301 ug/g Inrophenyl)	henvinethy!	_	4.	00+	6/6n	ABZ003
Sulfone LT 601		_	7.	00+	0/0n	AB2003
T 6.5 +00		-	9	-01	ø/øn	AB2003
7.6 +00 ua/a		Ļ	6.5	00+	e/en	ABE014
LT 401 ua/a LT 301 ua/a LT 401 ua/a LT 501 ua/a LT 501 ua/a LT 601 ua/a LT 601 ua/a LT 701 ua/a LT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			7.6	00+	0/0/	ABE014
Osphonate LT 301 ua/a LT 401 ua/a LT 501 ua/a LT 501 ua/a LT 601 ua/a LT 601 ua/a LT 701 ua/a LT 301 ua/a LT 301 ua/a LT 301 ua/a LT 401 ua/a LT 401 ua/a LT 401 ua/a LT 501 ua/a	Copper	-		5	110/0	ABR002
Osphonate LT 301 ua/a LT 501 ua/a LT 301 ua/a LT 501 ua/a LT 6. +00 ua/a LT 6. +00 ua/a LT 601 ua/a LT 601 ua/a LT 701 ua/a LT 301 ua/a LT 301 ua/a LT 301 ua/a LT 401 ua/a LT 401 ua/a LT 401 ua/a LT 501 ua/a	Dibromochioropropare	- -	K	-	0/00	ABZ003
LT 301	Dibromochloropane	- t	· ~	, [0/07	ABR002
LT 401	Dicyclopentadiene	ָ . ב	;	1 6	B :	¥07004
bylmethyl Phosphonate LT 301 ug/g LT 7. +00 ug/g LT 301 ug/g	Dicyclopentadiene	ב ב	4	-	o /on	AB2003
pylmethyl Phosphonate LT 301 ug/g LT 401 ug/g		1	ĸ,	-01	o/on	AB2003
disulfide LT 301 ug/g LT 401 ug/g LT 301 ug/g			8	-01	o/on	AB2003
disulfide LT 301 ug/g LT 401 ug/g LT 301 ug/g	DY THECHY	-	7	00+	6/6n	AB2003
disulfide LT 301 ug/g LT 401 ug/g LT 501 ug/g		-	r)	-01	o/on	AB2003
tone LT 301 ua/a LT 8.4 +00 ua/a LT 8.4 -01 ua/a LT 601 ua/a LT 401 ua/a LT 401 ua/a LT 401 ua/a		+ ! -	α	Ę	110/0	ABR002
LT 301 ua/o LT 6. +00 ua/o LT 8.4 +00 ua/o LT 8.4 +00 ua/o LT 8.4 +00 ua/o LT 8.4 -00 ua/o LT 8.4 -00 ua/o LT 8.4 -00 ua/o LT 8.4 -01 ua/o LT 701 ua/o LT 401 ua/o LT 401 ua/o LT 501 ua/o	Dimethyldisulfide	נ	;	1	.	
LT 301 ug/g LT 5.0 -02 ug/g LT 301 ug/g LT 6. +00 ug/g LT 8.4 +00 ug/g LT 301 ug/g LT 6. +00 ug/g LT 301 ug/g LT 401 ug/g LT 401 ug/g LT 501 ug/g LT 501 ug/g LT 601 ug/g LT 601 ug/g LT 701 ug/g		-	ю.	-01	o/on	ABZ003
yl Ketone LT 301 ug/g LT 8.4 +00 ug/g LT 8.4 +00 ug/g LT 8.4 +01 ug/g LT 8.4 -01 ug/g LT 701 ug/g LT 401 ug/g LT 401 ug/g LT 401 ug/g LT 401 ug/g LT 501 ug/g LT 501 ug/g LT 601 ug/g LT 701 ug/g LT 701 ug/g		1	8	-01	ø/øn	ABR002
sobuty1 Ketone		_	5.0		0/00	AAL010
sobuty1 Ketone LT 301 ug/g on thiane LT 301 ug/g LT 301 ug/g LT 301 ug/g LT 301 ug/g LT 6. +00 ug/g LT 8.4 -01 ug/g on LT 601 ug/g LT 701 ug/g LT 401 ug/g LT 301 ug/g LT 401 ug/g			m		6/60	AB2003
Ketone LT 301 ug/g LT 301 ug/g LT 6. +00 ug/g LT 8.4 +00 ug/g LT 301 ug/g /ltrichloro- LT 501 ug/g -Dichlorophenyl) LT 401 ug/g -bosphates LT 301 ug/g	Toluene	Ľ	ю.		6/6n	ABR002
Trickloropheny LT 301 ug/g LT 6. +00 ug/g LT 8.4 +00 ug/g LT 301 ug/g LT 301 ug/g LT 401 ug/g LT 401 ug/g LT 301 ug/g Ug/g LT 301 ug/g Ug		-	M	-01	0/00	ABR002
iane LT 6. +00 ug/g LT 8.4 +00 ug/g LT 301 ug/g lphenyltrichloro- LT 601 ug/g LT 401 ug/g l(2,4-Dichlorophenyl) LT 301 ug/g thyl Phosphates		i <u>-</u>	,	-0	0/00	AB2003
T 8.4 +00 ug/g LT 8.4 +00 ug/g LT 301 ug/g Nyltrichloro- LT 601 ug/g 4-Dichlorophenyl) LT 301 ug/g Phosphates	Majatnion	- H	ć	0+	0/00	ABZ003
lorodiphenylethane LT 301 ug/g lorodiphenyltrichloro- LT 601 ug/g thion LT 401 ug/g loro-1(2,4-Dichlorophenyl) LT 301 ug/g yldiethyl Phosphates	1,4-Uxathiane		ά α		0/07	ABE014
LT 601 ug/g LT 401 ug/g ny1) LT 301 ug/g	Lead Dichlorodiphenylethane		'n		na/a	ABZ003
LT 401 ug/g ny1) LT 301 ug/g			•	č	0/0	AR7003
LT 401 ug/q 1(2,4-Dichlorophenyl) LT 301 ug/q thyl Phosphates	Dichlorodiphenyltrichloro-	ב ע	ċ	֖֖֡֝֞֝֟֝֟֝֝֟֝֝֟֝֟֝֟֝֟֝		
1(2,4-Dichlorophenyl) LT 301 ug/g thyl Phosphates	ethane	۲	4	-01	na/a	ABZ003
Vinyldiethyl Phosphates	2-Chloro-1(2,4-Dichlorophenyl)	LT		-01	ø/øn	AB2003
	Vinyldiethyl Phosphates					

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 2 , Site Summary of Analytical Results

-
Ţ,
_
Sout
٠,×
U,
10
~
- 1
Ĺ
•

Farm	
Tank	
South	

Sample Number	ABROD2 ABROD2 ABROD2 ABROD2 ABEO14	ABZ012 AAX007 ABZ012 ABF007 ABZ012	ABZ012 ABZ012 ABZ012 ABZ012 ABF007	ABZ012 ABZ012 ABZ012 ABZ012 ABZ012	ABZ012 ABZ012 ABZ012 AAL019 ABZ012	ABZ012 ABZ012 ABF007 ABZ012 ABZ012	ABZ012 ABZ012
Units	0/0n 0/0n 0n	0/0n 0/0n 0/0n	6/6n 6/6n 6/6n 6/6n		0/00 0/00 0/00 0/00	000000000000000000000000000000000000000	6/6n
Results	LT 301 LT 301 LT 301 LT 301 2.9 +01	LT 301 LT 5.0 +00 LT 301 LT 7.4 -01	LT 601 LT 4. +00 LT 7. +00 LT 601 LT 6.5 +00	4.64.6. L	LT 7. +00 LT 301 LT 301 LT 5.0 -02 LT 301	LT 301 LT 6. +00 LT 8.4 +00 LT 301 LT 601	LT 401
Analytical Peremeters	Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiane Dieldrin Endrin Mercury Isodrin	Malethion 1,4-Oxethiene Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates
Sample	Soil	Soil					
Depth (ft)	14	0-1					

0013

0012

Boring Number

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Depth (ft)

Boring Number

4-5 0-1

0013 0013

Farm	
Tank	
South	

Sample Number	ABF007	ABROO7 ABROO7	ABROO7	ABROO7	YOUNG!	AB2013	AAX008	ABZ013	ABRUU/		ABR007	ABFOOS	ABRUU/ ABRUU/	ABZ013		ABROO7	AB2013	ABZ013	ABZ013	ABZ013	ABF008	ABF008	ABR007	ABZ013	ABR007	ARZ013	AB2013	AB2013	ABZ013	AB2013		ABR007 ABZ013	
Units	6/6n	6/6n	o/on	o/on	0/00	o/on	0/00	ø/øn	0/0n	0 /00	e/en	0/00	0/6n	0/07	5	o/on	a/an	o/on	6/6n	e/en	o/on	.ø/øn	o/on	6/6n	o/on	7	0 0	7 7	0/00	0/00		0/0n	6 /6 n
Results L	2.5 +01	LT 301	, 0	'n	LT 701	ĸ.	LT 5.0 +00	ю.	LT 301		LT 301	7.4		LT 3U1	;	'n	٠,	LT 4. +00	7.	LT 601	IT 6.5 +00	5.0			LT 301	,	4 1	LT 301		· m	;	LT 801	
Sample Type Analytical Parameters	soil Zinc	•		1,1-Dichloroethane	m-Xylene		Aldrin	Arsenic	Attachertadiene Bicycloheptadiene	Benzene			Methylene Chloride	Chloroform	Hexachlorocyclopentadiene		Chlorobenzene	Chlordene Chlordene		p-Chlorophenylmethyl Sulfone p-Chlorophenylmethyl Sulfone		Chromium	Copper	Dibromochloropropare	Dibromochloropare	Dicycloperications	Dicyclopentadiene	S C C C C C C C C C C C C C C C C C C C	Diisopropylmethyl Phosphonate	Dithiane	Dieldrin	Dimethyldisulfide	Endrin

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

.

3

0013

Boring Number

Depth (ft)	Sample	Analytical Parameters	ŭ.	Results	en.	Units	Sample Number
4-5	Soil	Ethylbenzene	 -	w.	-01	ø/øn	ABR007
		Mercury	_	5.0		o/on	AAPOOS
		Isodrin		ъ		6/6n	AB2013
		Toluene	ב	'n	-01	o/on	ABR007
		Methylisobutyl Ketone	L	'n	-01	6/6n	ABR007
		Malathion	-1	'n	-01	a/an	ABZ013
		1,4-0xathiane	ב	۰,	00+	6/6n	ABZ013
		Lead		1.6		o/on	ABF008
		Dichlorodiphenylethane	ב	ъ		o/on	ABZ013
		Dichlorodiphenyltrichloro-	-1		-01	o/on	AB2013
		ethane					
		Parathion	11	4.	-01	no/on	ABZ013
		2-Chloro-1(2,4-Dichlorophenyl)	-	М.	-01	o/on	ABZ013
		Vinyldiethyl Phosphates					
		Trans-1,2-Dichloroethene	ב	ю М	-01	o/on	ABR007
		Tetrachloroethene	ב	ъ	-01	0/60	ABR007
		Trichloroethene	11	ъ.	-01	ø/øn	ABRO07
		Ortho- & Para-Xylene	۲	m)	-01	o/on	ABR007
		Zinc		1.1	+02	ø/øn	ABF 008

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incomporated

Blanks Associated with Task 2, Site 1-10 South Tank Farm Storage Area

Rocky Mountain Arsenal Program

Type	Analytical Parameters	œ	Results	υŋ	Units	Sample Number
	X X I I V Z W		5.0	-02	ø/øn	AA1001
2007	Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ	-	5.0	-02	6/6n	AALOO1
Blank	Aldrin	1	м М	-01	e/en	AAN010
0 1 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Atravine	-1	ь,	-01	6/6n	AAN010
Blank	Chlordane	LT	٠.	-01	6/6n	AANO10
д 72	Heyachlorocyclopentadiene	1	₩,	-01	6/60	AANO10
7 2 2 2	purchionophenylmethyl Sulfide	1	4.	00+	6/6n	AAN010
Blank			7.	00+	o/on	AAN010
R Purk	p-Chlorophenylmethyl Sulfone		۶.	-01	6/6n	AAN010
Blank	Dibromochloropropane	L	'n	-01	6/6n	AAN010
2. 2. 3. 3.	Dicyclopentadiene	۲٦	4.	-01	6/8n	AAN010
B. ank	Vapona	ב	ю.	-01	6/6n	AAN010
a tank	Difeopropylmethyl Phosphonete	<u>-</u>	М,	-01	6/6n	AAN010
0101X		-	7	00+	0/60	AAN010
Blank	Dieldrin	1	ю.	-01	o/on	AANO10
·			•	ć	7	010144
Blank	Endrin	! !	, ,	יים ד))	010111
B1ank	Isodrin	_	'n	[]	6/6N	AANOLO
Blank	Malathion	ا - ا	, ·	-01	6/6n	AAN010
Blank	1,4-Oxathiane	17	Ġ	₽ +	6/6n	AANOTO
81ank	Dichlorodiphenylethane	_	ņ	-01	6/6n	AANGIO
Blank	Dichlorodiphenyltrichloro-	11	ý	-01	6/6n	AAN010
	ethane	-	٠	101	0/07	AAND10
Blank	raraction (C. Mathierathern)	· -		5	0/07	OLUNAA.
Blank	Z-Chioro-1(z,4-Dichior Ophen); Vinyldiethyl Phosphates]	;	5		• · · · · · · · · · · · · · · · · · · ·
Blank	Carbon Tetrachloride	_	'n	-01	e/en	AAOOO1
81ank	Chloroform	 	'n	-01	6/6n	AA0001
Ans. In	Chlorobenzene	_		-01	6/6n	AA0001
H Jank	Benzene	LT	М.	-01	6/6n	AA0001
Blank	1,1-Dichloroethane	۲	6	-01	6/6n	AA0001
Blank	1,2-Dichloroethane	LI	ъ,	-01	6/6n	AA0001
Blank	Bicycloheptadiene	_	'n.	Ö	ø/øn	AA0011
д 72	Methylene Chloride	1	7.	-01	6/8n	AA0011
Blank	Dibromochloropropane	L	4.	-01	6/6n	AA0011

	Sample Number	110044	AA0011	******	AAUUII	AA0011	AA0011	AA0011	AA0011	AA0011	AA0011	AA0011	AA0011	AA0011	AAPOO1	AAVANI	AAMOO1	AAX001	ABD001	ABD001		ABD001	ABD001	ABEN01	ABED01	;)));	ABE001	ABE001	ABEUU1	ABF UUI	Abrout	ABF001	ABF001	ABECO1	ABG001
u e e e e e e e e e e e e e e e e e e e	Units	7	7 / T	6/60	6/6n	6/60	6/60	6/6n	6/6n	6/6n	6/6n	. 6/6n	6/6n	6/60	na/a	0/01	6/67 0/01	6/65 0/07	e (en	6/60 0/60) }	a/an	6/6n	03/8 03/8	0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 /		6/6n	6/6n	na/a	6/6n	6/6n	6/6n	na/a	6/6n	6/6n
2, Site 1-10 Area	Results	,	, ,	,	LT 301	LT 301	۳,		LT 301	LT 301	LT 301				LT 5.0 -02			, r		, -		1.5 +01			1.4 -01		1.1 +01		4.3		1.7 +01			4.6	1.7 +01
Blanks Associated with Task 2, S South Tank Farm Storage Area	Analytical Parameters	A THE PARTY OF THE	Dicyclopentadiene	Dimethyldisulfide	Ethylbenzene		Mather Cobutto Ketone	Tetrachloroethere	Trichloroethene	Trans-1,2-Dichloroethene		5 [1,1,1-11 Identical decination 1, 1, 2-Injohlonothane	1,1,2 = 1, 10, 10, 10, 10, 10, 10, 10, 10, 10,	Mercury		Arsenic	Arsenic	Arsenic	Cadmium	Chromium	Copper	Lead	Zinc	Cadmium	Chromium			Zinc	Cadmium	Chromium	40000	Lead	Zinc	Cadmium Chromium
Summary of Analytical Results	Type	and the same of th	Blank	Blank	Blank	1	B.J. ank	D.L. C.	D.L. O.L. O.L. O.L. O.L. O.L. O.L. O.L.	Blank		SIBILI	Blank	B.Lank B.J.S.K	7 10 10 X 10 10 10 10 10 10 10 10 10 10 10 10 10		Blank	B1ank	B1ank	Blank	Blank	2 g c 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Blank	Blank	Blank	81ank		7.5. Z	B.1 ank	Blank	Blank	J	7.0010 7.00100	Blank	Blank Blank

Note: Blanks are matched to analytical lots by the first three characters in the Sample Number.

Rocky Mountain Arsenal Program

Blanks Associated with Task 2, Site 1-10 South Tank Farm Storage Area

Iype	Analytical Parameters	K	Results	S	Units	Sample
B.Lank	Copper	-	1.1	+01	0/60 0/00	ABGOO1 ABGOO1
B.I.a.i.k	Lead Zinc		4.6	+01	6/6n	ABG001
710.0	> 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1	<u>-</u> -1	5.0	-02	6/6n	AB3001
Blank	Arsenic	Lĭ	5.0	00+	na/a	ABK001
Riank	Bicycloheptadiene	LT	٠.	-01	6/6n	AB0001
7 2 2 2	Carbon Tetrachloride		۵.	-01	6/6n	AB0001
D. Larik R. Larik	Chloroform	LT	ņ	-01	6/6n	AB0001
Riank	Methylene Chloride	17	7.	-01	6/6n	AB0001
Blank	Chlorobenzene	LT	'n	-01	6/6n	AB0001
R Jack	兄をひてをひら	1,1	ю.	-01	6/6n	AB0001
Aue La	Dibromochiloropane	٢٦	4.	-01	6/6n	AB0001
700 La	Dicyclopentadiene	⊢	۵,	-01	6/60	AB0001
010 12 13 14 14	Dimethy 1 disu) fide	L	8	-01	6/6n	AB0001
R Jank	Ethylbenzene	LT	ю М	-01	6/6n	AB0001
4 5						
R Jank	Toluene	L	М,	-01	6/6n	AB0001
Blank	Methylisobutyl Ketone	LT	ъ.	-01	6/6n	AB0001
Rlank	Jetrachloroethene	LT	m	-01	6/6n	AB0001
R ank	Trichloroethene	L	ĸ,	-01	na/a	AB0001
Blank	Trans-1,2-Dichloroethene	LT	3.	-01	6/6n	AB 0001
д 70 .	Ortho- & Para:Xylene	רו	ъ.	-01	6/6n	AB0001
2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1.1-Dichloroethane	LT	6	-01	6/6n	AB0001
H lank	1.1.1-Trichloroethane	1	М.	-01	6/6n	AB0001
10 Tar	1.1.2-Trichloroethane	LT	ь,	-01	6/6n	AB0001
Blank	1,2-Dichloroethane	ר	ĸ,	-01	na/a	AB0001
3 1 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	# X > #	L	7.	-01	6/8n	AB0001
R ank	Ricycloheptadiene	1.1	€.	-01	a/an	ABR001
720.00	Carbon Tetrachloride	L	₩,	-01	6/60	ABR001
Riank	Chloroform	17	3.	-01	6/ôn	ABR001
Blank	Methylene Chloride		6	-01	6/6n	ABRO01
720	Ch. Londhenzene	-	Ŋ	-01	6/6n	ABRO01
D S OF IN	Rendelle	LT	'n	-01	na/a	ABR001
010/K	Dibromochloppropane	1.1		-01	6/8n	ABR001
21.02.75 32.02.75	Dicyclopentadiene	11	3.	-01	6/6n	ABR001
:						

Blanks Associated with Task 2, Site 1-10 South Tank Farm Storage Area

Type	Analytical Parameters	۳	Results	ب ن	Units	Sample Number
Mindels of the Control of the Contro	A MARKET DE LA DESCRIPTA DE LA CAMBRETA DEL CAMBRETA DEL CAMBRETA DE LA CAMBRETA DEL CAMBRETA DE LA CAMBRETA DEL CAMBRETA DE LA CAMBRETA			-		
Blank	Dimethyldisulfide	LT	œ	-01	6/6n	ABR001
Blank	Ethylbenzene	LT	'n,	01	6/6n	ABRO01
Blank	Toluene	۲٦	r;	-01	6/6n	ABR001
Blank	Methyllsobutyl Ketone	Ļ	3.	-01	6/8n	ABRO01
B1ank	Tetrachloroethene	μ,	ĸ,	-01	6/ēn	ABR001
Blank	Trichloroethene	-1	ĸ)	-01	6/6n	ABRO01
a land	Trans-1, 2-Dichloroethene		ь,	-01	6/6n	ABR001
20 C C C C C C C C C C C C C C C C C C C	Cirtho. & Para. Xvlene	1	3	01	6/6n	ABRO01
31818		1	6	01	6/6n	ABR001
and and	1.1.1.Trichloroethane	1	3.	-01	6/6n	ABRO01
Blank	1,1,2-Trichloroethane	<u>-</u>	ю.	-01	6/6n	ABROO1
д 70°	1.2-Dichloroethane	1.1	M)	-01	6/6n	ABRO01
21012 A10012		1	7.	-01	6/6n	ABRO01
7,10,12	Aldrin	٦	8	-01	6/sn	ABSQ15
7 2 2 2	Atravina	LT	ъ	~01	6/6n	ABS015
Blank	Chlordane	LT	6	-01	6/6n	ABS015
1	Haxant Jordon Control dens	1	8	-01	ø/øn	ABS015
A TOTO	TOP OF ORDER STATE STATE OF ST	-	4.	00+	6/60	ABS015
Blank Blank		· -	7,	100+	6/60	ABS015
olank olank			Ġ	-01	6/6n	ABS015
Blank		L 1	w,	-01	6/6n	ABS015
-		_	4	-01	6/6n	ABS015
¥ 10 0	Coconstant	-	8	-01	6/6n	ABS015
o Larik	Varona Diisoppopylmethyl Phosphonate	, <u>-</u>	m	-01	6/60	ABS015
אומנט למפות	Dithiane	1	7.	+00	6/6n	ABS015
Blank Riank	Dielarin	1.1	М.	-01	6/6n	ABS015
<u> </u>						1
Blank.	Endrin	LT		-01	6/6n	ABS015
Blank	Isodrin		M)	-01	6/6n	ABS015
Blank	Malathion			-01	6/60	ABS015
B.Lank	1,4-Oxathiane	نــ	9	+00	6/6n	ABS015
B].ank	Dichlorodiphenylethane	LI		-01	6/6n	ABS015
Blank	Dichlorodiphenyltrichloro-	LT	6.	01	6/6n	ABS015
	ethane					

Rocky Mountain Arsenal Program

Blanks Associated with Task 2, Site 1-10 South Farm Storage Area

Гуре	Analytical Parameters	œ	Results	Ŋ	Units	Sample Number
****	A STATE OF THE PARTY OF THE PAR		design and the course dates to the course the second course of the second second		1	The second secon
Blank	Parathion	1	4.	-01	6/6n	ABS015
Blank	2-Chloro-1(2,4-Dichlorophenyl)	L.T	κ,	-01	6/6n	ABS015
	Vinylaletnyl mosphates				•	
Blank	Aldrin	Ľ	κ,	-01	a/an	AB2001
81ank	Atrazine	1	w.	-01	6/6n	AB2001
Blank	Chlordane	L.T		-01	å∕6n	AB2001
Blank	Hexachlorocyclopentadiene	L	ъ	-01	6/6n	AB2001
Blank	p-Chlorophenylmethyl Sulfide		4.	+00	6/6n	AB2001
Blank	p⊶Chlorophenylmethyl Sulfoxide	1	7.	00+	6/6n	AB2001
81ank	p-Chloropheny)methyl Sulfone	LT	٠,	-01	6/6n	AB2001
81ank	Dibromochloropropane	LT	ъ,	-01	ñ/ön	AB2001
Blank	Dicyclopentadiene	רי	4.	-01	6/bri	A82001
Blank	Vapona	1	٠. د	-01	6/6n	ABZ001
B) ank	Diisopropylmethyl Phosphonate	Ľ	œ.	00+	6/6n	AB2001
Blank	Dithiane	Ľ	7.	00+	6/6n	AB2001
B1.ank	Dieldrin	LT	ع	-01	6/6n	AB2001
81ank	Endrin	-1	'n.	-01	6/6n	ABZ001
Blank	Isodrin		3.	-01	a/an	AB2001
81ank	Malathion	_	ņ	-01	6/6n	AB2001
Blank	1,4-Oxathiane	-	٠.	00+	6/8n	AB2001
Blank	Dichlorodiphenylethane	1	₩.	-01	6/6n	AB2001
Blank	Dichlorodiphenyltrichloro- ethane			01	6/6n	ABZ001
R Jack	Panathion	-	7	-11	0/00	ARZO01
Blank	2-Chloro-1(2,4-Dichlorophenyl)	<u> </u>	M	-01	6/6n	AB2001
	Vinyldiethyl Phosphates					
81ank	Dibromochloropropane	٢٦	5.0	-03	6/6n	ALS001

Appendix 1-10-C

Comments and Responses



COLORADO DEPARTMENT OF HEALTH

Richard D. Lamm Governor Thomas M. Vernon, M.D. Executive Director

November 21, 1986

Colonel W. Quintrell
Deputy Program Manager
RMA Contamination Cleanup
AMXRM-EE, Bldg. 4585
Aberdeen Proving Ground
Maryland 21010-5401

Dear Colonel Quintrell:

Enclosed are our review comments on Tasks 2, 7 and 12, Draft Final Source Reports for the following sites:

Task 2

Site 1-10 South Tank Farm Site 1-8 Salvage Yard Site 2-6 Salt Storage Pad

Task 7

Section 1 Uncontaminated Areas Section 2 Uncontaminated Areas

Task 12

Site 1-2 Upper and Lower Derby Lakes
Site 11-1 Buried Lake Sludge
Site 6-2 Eastern Upper Derby Lake
Site 1-12 Trash Dump

Site 12-5 Rod and Gun Club Pond

If you have any questions on the enclosed comments, please contact Mr. Chris Sutton with the Water Quality Control Division.

Sincerely,

Thomas P. Looby

Remedial Programs Director

cc:

Howard Kenison, Colorado Attorney General Office

Robert Duprey, USEPA, Region VIII Robert Lundahl, Shell Oil Company

RESPONSES TO COMMENTS OF

COLORADO DEPARTMENT OF HEALTH ON

DRAFT FINAL CONTAMINATION ASSESSMENT REPORT

SITE 1-10, TASK 2

Comment 1: p. 1-10-26 We disagree with the characterization that "None of the nontarget compounds detected were of sufficient significance to affect Phase II planning." It appears there may be a substantial fuel-related contaminant plume above the water table extending through Borings #1, 2, 4, 5, 6 and 11. The Phase II investigations should be designed to better characterize the extent of this contamination.

Response:

An additional 22 borings and 64 samples are being proposed in Phase II for this site. Of this total, 11 borings will be drilled to analyze for both volatile and semivolatile organic compounds utilizing Phase I methods and a scan for nontarget compounds will be conducted. A soil gas study is also being proposed for Phase II investigations in the entire site area to delineate and define the extent of possible volatile organic contamination.

Comment 2: p. 1-10-26

It is not clear that there are sufficient Phase II borings in the vicinity of Borings 3 and 4 to identify the horizontal extent of dieldrin in this area.

One Phase II boring (#18) is insufficient to characterize the vertical and horizontal extent of mercury near Boring #1.

One of the Phase II objectives should be to determine the vertical and horizontal extent of DCPD found in Borings 4, 5 and 6 at up to 200 ppm. One Phase II boring (#16) is insufficient to achieve this objective. More borings should be constructed north and south of these borings.

Response:

Borings 15, 16, 21, and 22 have been added to define the horizontal extent of dieldrin.

Borings 17, 18, 19, and 20 have been added to determine the horizontal and vertical extent of mercury.

Borings 21, 22, and 23 have been added to determine the horizontal and vertical extent of DCPD.

Comment 3: It appears that the vertical extent of contamination extends p. 1-10-25 into the saturated zone at this site. Phase II borings should extend to at least 15 ft below surface beneath the areas of highest contamination with depth.

Response:

Monitoring well data from this site indicate that the groundwater is contaminated with organic compounds. We agree that Phase II borings should extend at least to the water table. It was reached at 7.5 feet in Phase I, but many Phase II borings are being planned to 10 feet in the event that the water levels have dropped. If the saturated zone is not reached at 10 feet, the borings will be extended. Groundwater contamination is being related to saturated soils in Task 23.

Comment 4: We disagree that the extent of contamination has been characterized in Phase I and therefore we do not concur with the revised estimates of soil contamination. In particular, the vertical extent should not be reduced from the original 10 ft estimate at this time.

Response: The estimate of soil contamination is for the unsaturated zone only, and is based upon the depth at which the saturated zone was reached during Phase I drilling (7.5 ft).

Shell Oil Company



One Shell Plaza P.O. Box 4320 Houston, Texas 77210

November 17, 1986

USATHAMA
Office of the Program Manager
Rocky Mountain Arsenal Contamination Cleanup
ATTN: AMXRM-EE: Chief: Mr. Donald L. Campbell
Bldg E4585, Trailer
Aberdeen Proving Ground, MD 21010-5401

Dear Mr. Campbell:

Enclosed herewith are Shell's comments on the draft final copies of Contamination Assessment Reports for Sites 1-8, 1-10, and 2-6.

Very truly yours.

C. K. Hahn

Denver Site Project

RDL:ajg

Enclosure

cc: USATHAMA

Office of the Program Manager

Rocky Mountain Arsenal Contamination Cleanup

ATTN: AMXRM-EE: Mr. Kevin T. Blose

Bldg E4585, Trailer

Aberdeen Proving Ground, MD 21010-5401

Mr. Thomas Bick
Environmental Enforcement Section
Land & Natural Resources Division
U.S. Department of Justice
P.O. Box 23896
Benjamin Franklin Station
Washington, D.C. 20026

Major Robert J. Boonstoppel Headquarters - Department of the Army ATTN: DAJA-LTS Washington, DC 20310-2210

RESPONSES TO COMMENTS OF

SHELL CHEMICAL COMPANY ON

DRAFT FINAL CONTAMINATION ASSESSMENT REPORT

SITE 1-10, TASK 2

Comment 1: Paragraph describing 1980 photo. First paragraph of 2.0 History p. 1-10-7 states that the pump house was built in 1942.

Response: The pumphouse was built in 1942; the sentence on p. 1-10-7 under the 1980 aerial photo description is misleading and has been deleted.

<u>Comment 2</u>: The legend title should be revised to: "Analytes Detected Figure 3.1-1 Above Indicator Level Range at Site 1-10".

Response: The title of this figure is being revised to read "Analytes Detected Within and Above Indicator Levels" in all reports.

Comment 3: DD Soil Fumigant, but not Nemagon, was stored in Tank 463C. p. 1-10-8

Response: Our original research showed that Nemagon (Army Interrogatory #3) was stored in Tank 463C. We searched our records and agree that D-D soil fumigant and not Nemagon was stored here.

Comment 4: The 50,864-gallon spill was reported to be a mixture of bicycloheptadiene bottoms and No. 6 fuel oil.

Response: Our research has verified that the 50,864 gallon spill was a mixture of bicycloheptadiene bottoms and No. 6 fuel oil. The text has been revised.

Comment 5: A triangle of borings should be drilled around Boring 1 to establish the lateral and vertical extent of mercury contamination.

Two borings, one south and one east of Boring 3, should be drilled to establish the lateral and vertical extent of methylene chloride contamination.

In addition to Boring 15, two other borings should be drilled to triangulate Borings 3 and 4 to establish lateral and vertical extent of dieldrin contamination. This will also provide a triangulation of Borings 4, 5, and 6 to establish lateral and vertical extent of DCPD contamination.

Response:

Four additional borings have been placed around Boring 1 to determine the vertical and lateral extent of mercury.

Two additional borings have been placed around Boring 3, and Boring 15 have been moved closer to Boring 3 to complete the triangulation.

Borings 21, 22, and 23 have been added to determine the horizontal and vertical extent of DCPD.